



Hörmann partner programme

Improve your sales – strong-selling advertising media for your showroom

HÖRMANN



CONTENT

6 – 7	Exclusive steel door and garage door stand	38 – 39	POS advertising media
8 – 9	Garage door stand	40 – 41	Banner displays
10 – 11	Door stand	42 – 43	Posters with matching advertising media
12 – 13	Fitting variants	44 – 45	Perspex prints
14 – 15	Concrete pre-fabricated garage	46 – 47	Ambience styles
16 – 17	Exclusive timber door stand	48 – 49	Counter cabinet, meeting table and counter lights
18 – 21	Door stands for residential internal doors, sample wall and presenter	50 – 51	Brochure stands and additional advertising media
22 – 23	Fitting variants and equipment variants	52 – 53	Bistro table, promotional flag, pavilion and floor mat
24 – 25	Presenter and displays for Hörmann product samples	54 – 55	Large exterior and interior advertisements
26 – 27	Panel displays, panel presenters and sample sets	56	Tensioned banners and aluminium frames
30 – 31	Timber displays, sample corner presenters, renovation presenters	57	Style and design variations
32 – 33	Garage door and operator presentation	58	Flags, advertisement signs
34	Operator displays and pylons	59	Projecting LED illuminated signs, advertisement sign for fitting trailers
35	Operator display for entrance gate operators		
36 – 37	Display cases and displays for operator accessories		

Note

Due to the consolidation of all articles, a partner company is currently experiencing delivery bottlenecks for several articles until approximately April. All articles will be available again from approximately April, subject to price changes.

The Hörmann partner programme: Boost your sales

The Hörmann partner programme provides you with a great number of furnishing elements and advertising media for indoor and outdoor use in your showroom. Use these customised modules and offer your customers palpable Hörmann quality in a professional setting. This facilitates your sales discussions, the product advantages become easily perceived and you can quickly and securely gain the approval of your customers. Use the Hörmann partner programme and increase your sales with a professional display! Order directly from your Hörmann consultant.



Advertising media for outdoor use



Advertising media for indoor use



Advertising media for indoor and outdoor use





HORMANN



Hörmann quality displayed realistically

Create enthusiasm in your showroom with a compelling display concept and high-quality products. The sturdy steel design of the exclusive stand systems impressively presents Hörmann garage doors, entrance doors and steel doors. The door and garage door stands are available with a plaster-like texture or a smooth surface finish. The sturdy concrete pre-fabricated garages allow you to present Hörmann products in a well-protected and eye-catching way outdoors. On request, we can also plan your exhibition space with the requested articles from the partner programme.





1 Exclusive steel garage door stand

For the display of 2 garage doors (with function), 1 garage door leaf (without function), 2 steel doors and 2 entrance doors, with integrated LED illumination in the door openings

Door sizes: 2500 × 2125 mm,
2500 × 2250 mm

Door sizes: 1000 × 2125 mm (steel doors),
1100 × 2100 mm (entrance door)

Required
floor space: 4500 × 3100 mm
Height: 2525 mm

2 Fitting set for 3 entrance doors

For the presentation of 3 entrance doors next to one another instead of 2 steel doors and 1 entrance door in the exclusive steel garage door stand

Door sizes: 1100 × 2100 mm (entrance door)

Note

For a door with track application Z with a height of 2125 mm, the entrance door beside it can only be opened inward to approx. 45°.

Fitting variants and equipment options

See page 12 – 13

Included in the scope of delivery of the door stands:

3 Sign Hörmann word mark

530 × 120 mm

4 Product labelling sign

DIN A6 made of UPVC

Optional

Round lamps above entrance doors,
see page 10 – 11





5

5 RollMatic extension kit

For the extension of the exclusive steel garage door stand for 1 roller garage door RollMatic, with integrated LED illumination in the door opening

Door size: 2500 × 2125 mm

Required

floor space: 1405 × 3100 mm

Height: 2525 mm

6 Side sliding sectional door fitting set

For fitting 1 side sliding sectional door into the exclusive steel garage door stand

Door size: 2500 × 2125 mm (for opposite door with track application N) or with track application Z at door height 2250 mm



6

Surface finishes

A Acrylic textured plaster in White (RAL 9010), optionally paintable with facade paint



A



B

B Powder-coated in Light grey (RAL 7035)

Optional accessories

7 Brochure holder DIN A4 made of acrylics

8 Product sign DIN A4 made of acrylics



7



8

Design templates available from Hörmann Marketing Communication on request!

Note

Exclusive timber garage door stand in analogue construction only available on individual request and at individual price.



1 Exclusive steel door stand

Version 1

For the presentation of 4 entrance doors

Door sizes: 1100 × 2100 mm

Required

floor space: 1705 × 1705 mm

Height: 2525 mm

Surface: **A** see page 9,

B see page 9 (only on request)

Option: Round lamps with LED spotlights



2 Exclusive steel door stand

Version 2: L-shaped

(Similar to the illustration)

For the presentation of 2 entrance doors

Door size: 1100 × 2100 mm

Required

floor space: 1700 × 1700 mm

Surface: **A** see page 9,

B see page 9 (only on request)

Option: Round lamps with LED spotlights

Note

Exclusive timber door stand for 4 entrance doors in analogue construction only available on individual request and at individual price.



3 Exclusive steel round lamp illumination

For the illumination of entrance doors in the exclusive steel door or garage door stand

Width: 1100 mm

Surface: **A** see page 9

Illumination: LED spots

4 Compensation panel


For the presentation of steel doors instead of entrance doors in the exclusive steel door stand

Door size: 1000 × 2100 mm

Surface

finishes: **A** see page 9

Exclusive steel garage door stand




Extension kit “RollMatic”
for exclusive steel garage
door stand




- 0 Passage
 - 1 2 3 4 5 Standard fitting variants
 - 6 Optional extension
 - 7 8 9 Optional fitting variants
 - A B C Optional advertising media
- * The entrance door cannot be opened fully inwards.

Exclusive steel door stand



Version 1
4 entrance doors



Version 2
2 entrance doors



Standard recommended equipment

Exclusive steel garage door stand

- 1 Sectional garage door 2500 × 2250 mm with track application N and operator SupraMatic
- 2 Sectional garage door 2500 × 2125 mm with track application Z and operator ProMatic
- 3 Up-and-over garage door 2500 × 2125 mm without function
- 4 Entrance door 1100 × 2100 mm
- 5 Steel doors 1000 × 2125 mm (with corner frame)

Optional equipment options

- 6 RollMatic extension kit 2500 × 2125 mm
- 7 Fitting set for 3 entrance doors, 1100 × 2100 mm
- 8 Side sliding sectional door fitting set, 2500 × 2125 mm (for opposite door with track application N or track application Z at 2250 mm door height)

Please indicate the door or system dimensions on the order.

Exclusive steel door stand

- 9 Entrance door: 1100 × 2100 mm

Please indicate the door or system dimensions on the order.

Optional advertising media

- A Banner displays (see pages 40 – 41)
- B Multiple panel display (see pages 26 – 27)
- C Timber display entrance door handles (see page 30)



Concrete pre-fabricated garage

For presenting the following Hörmann products:
Garage doors – standard equipment:

- 1** Sectional garage door with track application N and operator SupraMatic, 2500 × 2250 mm
- 2** Sectional garage door with track application Z and operator ProMatic, 2500 × 2125 mm

Entrance doors – standard equipment:

- 3** 2 entrance doors
Door size RAM 1100 × 2100 mm

Steel doors – standard equipment:

- 4** Garage side doors NT 60 with block frame type 1 opening inwards, 1115 mm × 2183 mm RAM (standard size) without dowel hole

Alternatively:

- 5** Sheet steel doors with block frame (e.g. KSi-40 with block frame on request)

The concrete pre-fabricated garage can be ordered with or without lighting.

Please note:

The necessary foundation work must be completed on-site for delivery of the pre-fabricated concrete garage. Water and power connections must be clarified and prepared before delivery. For delivery, 11 metres of manoeuvring space (depth) must be available in front of the garage. This area must be gravelled and sealed for lorries up to 30 t.


The downpipe for drainage is located outside and can either be positioned right **6** or left **7** of the door with track application Z.

Note for export:

We currently also offer the concrete pre-fabricated garage for Austria and Switzerland with a special freight surcharge. For other countries, you can request quotations from the Hörmann Marketing Communication department.



Concrete pre-fabricated garage





HORMANN

HORMANN

H



Making Hörmann quality visible

The exclusive door stands for residential internal doors made of timber are coated with a smooth surface finish, available in elegant Anthracite grey as standard or subtle Light grey on request. They are the perfect option for presenting timber or glass residential internal doors in your showroom.



Advertising media for indoor use

EXCLUSIVE TIMBER DOOR STAND FITTING VARIANTS
FOR RESIDENTIAL INTERNAL DOORS





1 Exclusive timber door stand

Version 1: for 2 doors

For the display of 2 timber doors as well as surface finishes, cross-sections and lever handles (optional)

Door sizes: 860 × 2110 mm (rebated),
834 × 2097 mm (flush)

Required

floor space: 700 × 1715 mm
(with closed doors)

Height: 2525 mm

2 Exclusive timber door stand

Version 2: L-shaped

For the presentation of 2 – 4 timber doors

Door sizes: 860 × 2110 mm (rebated),
834 × 2097 mm (flush)

Required

floor space: 2421 × 1406 mm

Height: 2525 mm

3 Exclusive timber door stand

Version 3: T-shaped

For the presentation of 3 – 6 timber doors

Door sizes: 860 × 2110 mm (rebated),
834 × 2097 mm (flush)

Required

floor space: 3148 × 1714 mm

Height: 2525 mm

4 Exclusive timber door stand

Version 4: cross-shaped

For the presentation of 6 – 8 timber doors

Door sizes: 860 × 2110 mm (rebated),
834 × 2097 mm (flush)

Required

floor space: 2421 × 2421 mm

Height: 2525 mm

5 Exclusive timber door stand as extension system

For the display of 10 timber door leaves with various lever handles

Door leaf size: 860 × 2110 mm

Required

floor space: 2025 × 1650 mm

Height: 2525 mm

The exclusive timber door stands **1** – **4** are available from the factory with pre-assembled products (see pages 22 – 23) or without products on request.



The door stand **5** only comes with the defined equipment. Please use the additional, detailed order form.

For frames with a wall width of 100 mm, one door can be installed in each opening, while 2 doors can be installed in each opening for frames with a wall width of 200 mm.

Surface finishes (specify colour on request on order)

A Coated chipboard Egger U961 ST2, Anthracite grey

B Coated chipboard Egger U708 ST15, Light grey



EXCLUSIVE TIMBER DOOR STAND FITTING VARIANTS
FOR RESIDENTIAL INTERNAL DOORS





6 Exclusive timber glass door stand

Including 8 glass door leaves as well as lever handles
(see page 23)

Door leaf size: 860 × 2110 mm

Required

floor space: 1626 × 1221 mm

Height: 2525 mm

Option: Top cover

7 Presenter for timber samples including frame sections

For the display of 36 surface finish samples
(Duradecor and real wood), 1 cross-section plate
(doors and frames) and 2 brochure holders

Required

floor space: 1015 × 495 mm

Height: 2320 mm



Colour: B (see below)

The door stands and presenters ⁶, ⁷ are only delivered with pre-assembled products (see pages 22 – 23) from the factory. Please use the additional, detailed order form.

Surface finishes (specify colour on request on order)

A Coated chipboard Egger U961 ST2, Anthracite grey

B Coated chipboard Egger U708 ST15, Light grey



8 Sample wall

For the presentation of decor, colour and surface finish
samples as well as door leaf and frame views

Dimensions: 3940 × 2300 mm (W × H)

Included in the scope of delivery of the door stands:

⁹ Sign Hörmann word mark

530 × 120 mm

¹⁰ Product labelling sign

DIN A6 made of UPVC

Optional accessories

¹¹ Brochure holder DIN A4 made of acrylics

¹² Product sign DIN A4 made of acrylics

Design templates available from Hörmann Marketing
Communication on request!

Fitting variants and equipment options

See page 22 – 23


EXCLUSIVE TIMBER DOOR STAND FITTING VARIANTS
FOR RESIDENTIAL INTERNAL DOORS

Exclusive timber door stand




Version 1
2 timber doors

Exclusive timber door stand




Version 2 (L-shaped)
4 timber doors

Exclusive timber door stand




Version 3 (T-shaped)
6 timber doors

Exclusive timber door stand




Version 4
8 timber doors

Exclusive timber door stand



10 timber door leaves

Exclusive timber glass door stand



8 glass door leaves



Standard sizes for residential internal doors

Timber door, rebated: 860 × 2110 mm

Timber door, flush: 834 × 2097 mm

All-glass doors: 834 × 1972 mm

Recommended equipment*

Exclusive timber door stand

Version 1: for 2 doors

BaseLine Duradecor Wild Oak horizontal – Duradecor Grey Oak horizontal (including black.edition fittings)/ Concepto Ultramatt Taupe – Ultramatt Anthracite

Delivery options:

- With pre-assembled products*
- With pre-assembled products and surface finish sample wall*

Alternative equipment suggestion (not shown):
European Promotion Duradecor White lacquer, flush
Concepto Ultramatt Taupe – Ultramatt Anthracite

Exclusive timber door stand

Version 2: L-shaped

- 1 DesignLine Plain 27-7 Black – Plain 14-7 Bronze/
DesignLine Groove 15 – Groove 29
- 2 BaseLine Duradecor Wild Oak horizontal –
Duradecor Brushed White horizontal
(including Smart2Lock)/
BaseLine Duradecor White lacquer

Delivery options:

- With pre-assembled products*
- Without products

Exclusive timber door stand

Version 3: T-shaped

- 3 BaseLine Duradecor Wild Oak horizontal –
Duradecor Brushed White horizontal
(including Smart2Lock)/
DesignLine Groove 15 – Groove 29
- 4 DesignLine Plain 27-7 Black – Plain 14-7 Bronze/
ClassicLine Montana 2 – Montana 4
- 5 Concepto Slate Dusty grey – Slate Anthracite/
BaseLine Duradecor White lacquer

Delivery options:

- With pre-assembled products*
- Without products

Exclusive timber door stand

Version 4: cross-shaped

- 6 BaseLine Duradecor Wild Oak horizontal –
Duradecor Brushed White (including Smart2Lock)/
DesignLine Groove 15 – Groove 29
- 7 DesignLine Plain 27-7 Black – Plain 14-7 Bronze/
ClassicLine Montana 2 – Montana 4
- 8 Concepto Slate Dusty grey – Slate Anthracite/
BaseLine Duradecor White lacquer
- 9 GlassLine Loft Design 1/5/BaseLine Duradecor
White lacquer including LA 27

Delivery options:

- With pre-assembled products*
- Without products

Exclusive timber door stands as extension system

- 10 ClassicLine Montana 2/
DesignLine Groove 15 – Groove 29/
DesignLine Steel 14 – Plain 29/
BaseLine Duradecor Wild Oak horizontal –
Duradecor Brushed White horizontal/
BaseLine Duradecor Brushed Salted Oak –
Duradecor Brushed Pine/
Concepto Slate White – Slate Anthracite/
Concepto Ultramatt Dusty grey –
Ultramatt Taupe/DesignLine Stripe 15/
BaseLine Duradecor White lacquer/
ClassicLine Carolina 1
- 11 Sample panels with lever handles and hinges
(detachable)

Delivery options:

- Only with pre-assembled products
and sample panels

Exclusive timber glass door stand

- 12 Raff/GrooveGlas 29-10/GrooveGlas 15-10/
Concepto Slate White/Concepto Linen Anthracite/
GrooveGlas 50/Loft Design 1/5/Loft Design 2/5
- 13 Sample panels with lever handles and hinges
(detachable)

Delivery options:

- Only with pre-assembled products
and sample panels

For orders, use the additional, detailed order form.

* Note:
On request, you can also specify your
custom equipment on the order.

HÖRMANN

HÖRMANN
Garage-Sekundäre
Antriebsysteme



Ein System für Ihre Garage
Mit innovativen Antriebstechniken
In Kombination mit Hörmann-Produkten



Decision-making aids for greater customer satisfaction

Your customers take a lot of time to select the right colour or decor, the surface finish and the door style. After all, it is about finding the optimal match to their individual taste and the architecture of their home. Support your customers with this decision and display original samples of garage door sections in compact display frames. Whether panel displays and presenters, sample corner and renovation presenters or compact hand samples: With Hörmann's sample presentation options you offer valuable decision-making aids and sell added value.





Panel displays

For displaying colour and surface finish samples with the dimensions 125 x 500 mm

1 2 Display frame for wall fitting

For individual presentations 1 to 4 display frames can be combined, from a simple presentation 1 up to a complete panel wall with 4 display frames 2, with or without a Hörmann top sign

Dimensions with top sign:

2140 x 770 x 60 mm (W x H x D)

Dimensions without top sign:

2140 x 540 x 48 mm (W x H x D)



3 Panel display for fitting into the exclusive steel garage door stand

Combination of 3 display frames, including U-profiles and fixing material

Dimensions: 2140 x 2200 x 110 mm
(W x H x D)





4 Panel presenter

Rolling steel construction for displaying
2 colour and surface finish sample sets

Dimensions:

760 × 1800 × 602 mm (W × H × D)

Colour and surface finish sample sets for panel displays and panel presenters

Size: 125 × 500 mm

- Woodgrain, M-ribbed: standard colour Traffic white RAL 9016 as well as 15 preferred colours, including CH 703
- Silkgrain, L-ribbed: standard colour Traffic white RAL 9016 as well as 15 preferred colours, including CH 703
- Sandgrain / Decograin, M- / L-ribbed: In Traffic white RAL 9016 and preferred colours 9006, 9016, 7016, 8028, as well as 9 decors
- Planar Matt deluxe / Decocolor, L-ribbed: 6 campaign colours and 3 campaign decors

5 Retrofit kit with the 4 new preferred colours for replacing samples in existing sample sets

■ NEW

A Woodgrain, M-ribbed:
RAL 7012, 7015, 7039 and 9005

B Silkgrain, L-ribbed:
RAL 7012, 7015, 7039 and 9005



5 A



5 B

6 Magnet

to remove panel samples from panel displays
or presenters



6



7

7 Hand sample set with 8 panels

Sizes: 250 × 500 mm

LPU 42:

- L-ribbed Silkgrain, Traffic white RAL 9016
- M-ribbed Decograin Golden Oak
- M-ribbed Sandgrain, Traffic white RAL 9016
- S-ribbed Woodgrain, Traffic white RAL 9016
- L-ribbed Duragrain Rusty Steel
- T-ribbed incl. inlay Silkgrain, Traffic white RAL 9016
- D-ribbed Silkgrain, Traffic white RAL 9016 including inlays

LPU 67:

- L-ribbed Silkgrain, Traffic white RAL 9016



8

8 Duragrain hand sample set ■ NEW

Sizes: 250 × 500 mm

- 6 stone decors (L-ribbed): Concrete, Beige, Grigio, Grigio scuro, Moca, Rusty Steel – these sample panels cannot be ordered individually!

9 Duragrain Diamond hand sample set ■ NEW

Sizes: 250 × 500 mm

- 8 colours: Diamond Black, Diamond Brown, Diamond Grey, Diamond Stone, Diamond Anthracite, Diamond Basalt, Diamond Green, Diamond Red



9

10 Slategrain hand sample set ■ NEW

Sizes: 250 × 500 mm

- 2 colours: Traffic white RAL 9016 and Anthracite grey RAL 7016



10



11 A

11 Display LPU 42 / 67 mm

A "Angled board" version

LPU 42 / 67 mm


Dimensions:

250 × 669 × 345 mm (W × H × D)

B "Angled board with pedestal" version
Pedestal (white) as stand-up display
for the angled board

Dimensions:

250 × 1369 × 345 mm (W × H × D)



11 B



Timber displays

Sturdy chipboard for the display of entrance door handles or frame views

Entrance door handles version

Format: 1100 × 2100 mm

- 1 Fitting into the exclusive steel / timber door and garage door stand with banner display on the rear
- 2 Wall fitting incl. fixing material

Frame design version

Format: 1000 × 2000 mm

- 3 Wall fitting incl. fixing material

Entrance door sample corner presenter

Presentation of profiles:

- Thermo46
- Thermo65
- ThermoSafe*
- ThermoPlan Hybrid*
- ThermoCarbon*

Dimensions: 1100 × 350 × 1250 mm (W × L × H)

Height without pedestal: 570 mm

Version 1: with pedestal 4

Version 2: without pedestal (not shown)

* New: The interior is now white



5 Sectional garage door renovation presenters

For the display of renovation solutions for fitting sectional garage doors

Presentation of fitting situations:

- Fitting behind the opening with flush-fitting fascia panel
- Fitting in the opening with double-skinned fascia panel
- Fitting in the opening with fascia frame set
- Fitting behind the opening with standard fascia panel

Dimensions: 856 × 1970 × 618 mm (W × H × D)

Weight: 190 kg (without packaging)

Note:

The renovation presenter is delivered on a pallet to allow for easy movement in the showroom with forklifts or lift trucks.





HÖRMANN

SupraMat

BiSecur

HSD 2-C BS



HSP 4 BS



HSE 4 BS



Hörmann BlueSecur



Practical presentation of sophisticated technology

Our door operators offer outstanding quality and reliability. Demonstrate the product advantages to your customers as realistically as possible with the elegant displays and presenters. You offer true added value with the Hörmann operator accessories. Display hand transmitters and other control elements in high-quality display cases to generate your customers' interest.



Advertising media for indoor use



1

1 Door operator display

For the presentation of the operator SupraMatic (series 4) with LPU 42 door sections with function (right or left track, right track shown), aluminium frame construction with printed vinyl fabric, incl. brochure holder and storage area for sales packaging
Dimensions: 1700 × 2525 × 600 mm
(W × H × D)

Options: Operator display case
(see page 37)


Note: Operator boxes, operator accessories, display case and brochures are not included in the scope of delivery.

2 SupraMatic / ProMatic operator pylon

For the display of SupraMatic and ProMatic (series 4) operators (front / back) with function, aluminium frame construction with printed vinyl fabric

Available version:

- Free-standing including brochure holder
Dimensions: 700 × 1870 × 600 mm
(W × H × D)



2



2



Operator display for entrance gate operators

For the display of entrance gate operators with function, free-standing or for fitting in the exclusive steel garage door stand

Material / surface finish: stiffener with powder coating in Pure white RAL 9010

Combination of RotaMatic / LineaMatic, free-standing, rolling (illustration similar)

Dimensions: 2450 × 1800 × 600 mm (W × H × D)

1





2

1 Rolling operator display case

Free-standing, lockable display case with 4 exhibit shelves and a lockable shelf for displaying operator accessories

Dimensions: 500 × 2000 × 500 mm
(W × H × D)

2 Operator display case for wall fitting

For displaying operator accessories on the wall or on the door operator display

Dimensions: 800 × 592 × 110 mm (W × H × D)

Note:

The control elements are not included in the scope of delivery. Please order the latest accessory pack* from Hörmann KG Antriebstechnik or your Hörmann consultant.



3

3 Presentation tray for hand transmitters including a set of HSE hand transmitters

Felt-covered board with slots for HSE hand transmitter variants with a small stand on the rear

Dimensions: 340 × 320 × 90 mm (L × W × H)

Note:

Please order this article* from Hörmann KG Antriebstechnik or your Hörmann specialist consultant.



4

4 Acrylic holder for various hand transmitters in display cases for operator accessories

* Subject to changes and updates
(contents and images)



A consistent approach to boost sales

Decorate your sales area with Hörmann advertising media and benefit from the high recognition and popularity of the Hörmann brand. Inspire your customers with attractive ambient images in the form of high-quality Perspex prints or posters in elegant aluminium frames. Banner displays offer additional sales arguments that you can use during sales discussions.

New in the programme: ambient styles for banners, posters, Perspex prints and aluminium frames help you create an even more inviting atmosphere in your showroom.





1



2



3



4

Banner displays


Digitally printed vinyl banners with various designs with dimensions 1000 x 2000 mm. Select from 4 different presentation or fixing options matching the banners

Versions:

- 1 Standard fitting set
- 2 Exclusive fitting set
(for multiple mobile applications)
- 3 Set for wall fitting
- 4 Sets for fitting into the exclusive
steel / timber door and garage door stand

Designs for banner displays

- A Up-and-over garage doors
- B Automatic sectional doors
- C Design doors
- D D-ribbed sectional garage doors
- E T-ribbed sectional garage doors
- F Duragrain sectional garage doors
- G Garage door operators SupraMatic
- H Entrance gate operators
- I Roller garage door RollMatic
- J Aluminium entrance doors
(ThermoSafe / ThermoCarbon)
- K Security equipment
- L Entrance doors Thermo46
- M Residential internal doors
- N Door operator PortaMatic
- O Function doors for your home
- P Steel profile frame VarioFix
- Q Hörmann homee
- R Industrial door systems
- S Bollards
- T Barriers



1



2



3

Posters

Different poster designs in DIN A1 poster format for effective presentation

Advertising media for posters:

1 Aluminium frame (internal use)

Dimensions: 594 × 841 mm (DIN A1)

2 Poster stand (internal use)

Incl. brochure holder

Dimensions: 636 × 1000 × 750 mm (W × H × D)

3 Poster stand "Swing" (outdoor use)

Dimensions: 666 × 1300 × 595 mm (W × H × D)


Poster designs

- A Automatic sectional doors
- B Design doors
- C D-ribbed sectional garage doors
- D T-ribbed sectional garage doors
- E Duragrain sectional garage doors
- F Up-and-over garage doors
- G Garage door operators
- H Entrance gate operators
- I Aluminium entrance doors (ThermoSafe / ThermoCarbon)
- J Security equipment
- K Entrance doors Thermo46
- L Residential internal doors 1
- M Residential internal doors 2
- N Residential internal doors 3
- O Door operator PortaMatic
- P Function doors for your home
- Q BiSecur radio system
- R Hörmann homee
- S Industrial door systems
- T Loading technology
- U Fire and smoke protection elements
- V Bollards
- W Barriers
- X RC 2 sectional garage doors ■ **NEW**
- Y Loft door ■ **NEW**
- Z Slategrain surface finishes ■ **NEW**

Please order poster designs with a separate form.



Poster designs





Perspex prints

Exclusive presentation of high-quality Hörmann
ambiance images incl. wall fastenings

Material: 4 mm acrylic panes

Dimensions: 600 × 800 mm


Designs for Perspex prints

- A** Entrance doors
- B** Up-and-over garage doors
- C** Sectional garage doors, entrance doors
- D** Residential internal doors
- E** Steel doors
- F** Industrial sectional doors
- G** Industrial rolling shutters
- H** High-speed doors
- I** Industrial sectional doors, loading technology
- J** Steel and stainless steel doors STS / STU
- K** Fire-rated and smoke-tight tubular frame parts
- L** Bollard (version 1)
- M** Bollard (version 2)
- N** Barriers

Please order Perspex print designs with a separate form.



Designs for Perspex prints





Create a comfortable atmosphere

Improve the look of your exhibition and display the products even more effectively. You can order the styles in the formats and materials described on pages 40 – 44 and 56 for the following advertising media:

- Banners
- Posters
- Perspex print
- Aluminium frame

Selection of ambience styles

- A** Meadow
- B** Stag in forest
- C** Dandelion
- D** Poppy
- E** Delicate green plant
- F** Forest glade




Selection of ambience styles, examples in size 2000 × 2000 mm



A



B



C



D



E



F

Example size 1000 × 2000 mm





1

1 High-quality counter cabinet with glass top

With 2 shelves for storing brochures, lockable flap for presentations under the glass top

Dimensions: 1000 × 1030 × 600 mm (W × H × D)

Optional: with additional lockable cabinet doors

2 Counter cabinet with timber top

With 2 shelves for storing brochures

Dimensions: 1000 × 1030 × 600 mm (W × H × D)

Optional: with additional lockable cabinet doors



2

3 Meeting table with stools

Timber table with glass top including 2 drawers, e.g. for operator accessories with lockable drawer, one half visible from above, stool as a foam cube with Hörmann fabric print

Dimensions:

Table 1050 × 1050 × 770 mm (W × H × D)

Stool 450 × 450 × 450 mm (W × H × D)



3




Attractive counter light made of high-quality aluminium profiles

Dimensions: 1030 x 230 x 120 mm (W x H x D)

Versions

- 1 Hörmann logo
- 2 Hörmann logo with dealer panel





Brochure stands

High-quality aluminium profiles with heavy-duty steel shelves (Fig. 1 – 4)

Versions:

- 1 Brochure stand 4 × A4 (one-sided)**
Dimensions: 443 × 1765 × 293 mm (W × H × D)
- 2 Brochure stand 8 × A4 (double-sided)**
Dimensions: 443 × 1765 × 293 mm (W × H × D)
- 3 Brochure stand 8 × A4 (one-sided)**
Dimensions: 723 × 1765 × 293 mm (W × H × D)
- 4 Brochure stand 16 × A4 (double-sided)**
Dimensions: 723 × 1765 × 293 mm (W × H × D)

Additional brochure stands and displays

- 5 Brochure holder for wall mounting 6 × A4**
Dimensions: 220 × 1040 × 140 mm (W × H × D)
- 6 Plexiglas countertop stand 3 × A4**
Dimensions: 340 × 235 × 155 mm (W × H × D)
- 7 Plexiglas countertop stand 1 × A4**
 - A** Vertical: 220 × 270 × 50 mm (W × H × D)
 - B** Horizontal: 340 × 190 × 50 mm (W × H × D)

Additional advertising media

- 8 Sticker word mark with subline**
Formats: 775 × 225 mm or 1550 × 450 mm
- 9 Rear window sticker**
Format: 370 × 110 mm





1 High-quality bistro table with pyramid parasol

Sturdy table with pedestal and foot rest as well as a modern pyramid parasol.



2 Promotional flag including stand

Dimensions: 1052 x 2700 mm (W x H)



3 Pavilion

Water-repellent pavilion for exterior use, easy to set up and take down thanks to its folding mechanism, including storage
Required floor space: 3000 × 3000 mm
Interior height: 3100 mm

4 Floor mat

Dimensions: 750 × 450 mm



A photograph of a cyclist in a white, green, and red jersey riding a road bike on a cobblestone path. In the background is a modern house with a dark grey tiled roof, two skylights, and a large dark grey automatic garage door. The scene is set against a clear blue sky.

Automatik-Garagentore

HÖRMANN
Tore • Türen • Zargen • Antriebe

Attention already from the outside

Nothing is more attention-grabbing than well-designed exterior advertising. You can use emotional large-format designs and high-quality signs to upgrade your commercial building and draw attention to your products. Place exterior advertising signs near construction sites or on your fitting trailer to generate interest on-site. The constant advertising presence, including the various exterior advertising media, supports your image of a competent partner for doors and garage doors.



Advertising media for outdoor use



1 Large tensioned banner (exterior use)

B1 flame-retardant vinyl banner made of woven fabric, all-around hemstitching and eyelets every 500 mm

Standard formats:

2000 × 2000 mm

2500 × 1500 mm

(see example variant 5C Duragrain, page 57)

2500 × 2500 mm

3000 × 3000 mm

3000 × 4000 mm

2000 × 4000 mm

4000 × 4000 mm

(other formats on request)

2 Fastenings for large tensioned banner

Frame fastening system made of aluminium profiles with cast corner connectors for all standard formats (other formats on request); fixing material for fixing the frame to a building is not included in the scope of delivery.

3 Site banner

Tensioned banner as described above, optionally with hemstitching on top

4 Aluminium frame system (external or internal use)

For fitting to building facades with energy-efficient LED illumination or unlit (not shown)

Formats:

2000 × 2000 mm

2500 × 2500 mm


(other formats on request)

Fixing material for fixing to the building or wall is not included in the scope of delivery.





Style and design variations



Large-format designs

Choose from 4 attractive designs in 6 versions, with and without a dealer imprint for large-scale outdoor advertising.

Design variants:

- 1 Automatic garage doors
- 2 Entrance doors
- 3 Aluminium entrance doors
- 4 Industrial doors
- 5 Duragrain

(Further designs available on request)

Design variations:

- A Product description and Hörmann logo below
- B Product description and Hörmann logo above
- C Product description above, dealer imprint and Hörmann logo below
- D Product description below, dealer imprint and Hörmann logo above
- E Product description above and Hörmann logo below
- F Product description and Hörmann logo above, dealer imprint below



Max Mustermann

Ihr Spezialist für Garagentore und Antriebe
Industriestraße 123, 12345 Musterdorf

HÖRMANN

Tore • Türen • Zargen • Antriebe

2 A

Nur noch wenige Tage.

... dann sehen Sie hier eine neue Haustür von Hörmann,
eingebaut vom Spezialisten.

Max Mustermann

Ihr Spezialist für Garagentore und Antriebe
Industriestraße 123, 12345 Musterdorf

HÖRMANN

Tore • Türen • Zargen • Antriebe

2 B

TOOOOOOOOR!

Hier sehen Sie bald ein neues Hörmann Garagentor,
eingebaut vom Spezialisten.

Max Mustermann

Ihr Spezialist für Garagentore und Antriebe
Industriestraße 123, 12345 Musterdorf

HÖRMANN

Tore • Türen • Zargen • Antriebe

2 C

HÖRMANN

Tore • Türen • Zargen • Antriebe

3



1 Hörmann flag with / without cantilever arm

(Version with cantilever arm shown)

Format: 1200 × 3000 mm, 1500 × 4000 mm

Optional on request:

- Country flags
- Europe flag

2 Outdoor advertising sign

Format: 600 × 400 mm

Designs:

- A** Standard design
- B** Promotion design "A few days"
- C** Promotion design "Gooooal"

Optional materials:

- Weather-resistant cardboard or
- high-quality aluminium Dibond

3 Standard tensioned banner

Heavy-duty tarpaulin with eyelets

(only one-sided printing possible)

Format: 3000 × 750 mm

(Other formats and versions on request)

Projecting LED illuminated sign

With an elegant, convex shape with acrylic panes

Dimensions: 577 × 245 × 178 mm (W × H × D)
including panes

Versions (can be combined):

4 Hörmann logo

5 Dealer imprint

6 Advertisement sign for fitting trailer

Sturdy aluminium Dibond panel for permanent exterior use, individual design with Hörmann logo possible.

Format: individual

Note:

The illustration **6** shows a sample application.
For a suitable fitting trailer or the base construction of the advertisement sign please contact a provider of fitting trailers or a metal workshop.



6

Hörmann: Quality without Compromise



Hörmann KG Amshausen, Germany



Hörmann KG Antriebstechnik, Germany



Hörmann KG Brandis, Germany



Hörmann KG Brockhagen, Germany



Hörmann KG Dissen, Germany



Hörmann KG Eckelhausen, Germany



Hörmann KG Freisen, Germany



Hörmann KG Ichtershausen, Germany



Hörmann KG Werne, Germany



Hörmann Alkmaar B.V., Netherlands



Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon LLC, Burgettstown PA, USA



Shakti Hörmann Pvt. Ltd., India

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies. The close-meshed network of sales and service companies throughout Europe, and activities in the USA and Asia, make Hörmann your strong partner for first-class building products, offering “Quality without Compromise”.

GARAGE DOORS
OPERATORS
INDUSTRIAL DOORS
LOADING EQUIPMENT
HINGED DOORS
DOOR FRAMES

HÖRMANN