







ET 500



ST 500



NT-ET 500



SP 500

Collective garage doors

Non-protruding up-and-over door ET 500, sliding door ST 500, side door for collective garage doors, sports hall door SP 500, SupraMatic HT / H, chain drive operator ITO 400 FU / ITO 500 FU

Spare Parts Overview

Valid from 01.03.2021

HÖRMANN

Hörmann international sales companies and sales partners



Hörmann KG
Verkaufsgesellschaft
 Upheider Weg 94-98
 D-33803 Steinhagen
 Telefon +49 5204 915-0
 Telefax +49 5204 915-277
 Internet www.hoermann.com

Hörmann international sales companies

International sales partners

Hörmann international sales companies

Hörmann Austria
 A-5310 Mondsee
info@hoermann.at

Hörmann Baltic
 LT-14247 Vilnius r.
info@hoermann.lt

Hörmann Bel
 BY-220125 Minsk
info@hoermann.by

Hörmann Belgium
 B-3700 Tongeren
info@hoermann.be

Hörmann Bulgaria
 BG-1532 Sofia
info.sof@hoermann.bg

Hörmann Česká republika
 CZ-252 68 Středokluky
info@hoermann.cz

Hörmann China
 CN-100176 Beijing
info@hoermann.cn

Hörmann Danmark
 DK-8920 Randers
info@hoermann.dk

Hörmann Eesti
 EST-76505 Saue
info.tll@hoermann.ee

Hörmann España
 E-08228 Terrassa
info.cat@hoermann.es

Hörmann Finland
 FIN-02420 Jorvas
info@mesvac.fi

Hörmann France
 F-89107 Sens
info@hoermann.fr

Hörmann Hellas
 GR-19400 Koropi
info@hoermann.gr

Hörmann Hong Kong
 HK-Quarry Bay
info@hoermann.com.hk

Hörmann Hrvatska
 HR-10000 Zagreb
info@hoermann.hr

Hörmann Hungária
 H-2310 Szigetszentmiklós
info@hoermann.hu

Hörmann Indien
 Shakti Hörmann
 IND-500015 Secunderabad,
 Telangana
info@shaktihormann.com

Hörmann Indonesia
 ID-12520 Jakarta
info@hoermann.id

Hörmann Ireland
 IRL – Y35 XR22 Wexford
s.doyle.wex@hoermann.ie

Hörmann Italia
 I-38015 Lavis (Trento)
info@hoermann.it

Hörmann Kazakhstan
 KZ-050019 Almaty
info@hoermann.kz

Hörmann Malaysia
 MAL-40150 Shah Alam,
 Selangor
sales@hoermann.com.my

Hörmann Maroc
 MA-28810 Mohammedia
info@hoermann.ma

Hörmann Mexico
 MEX-66350
 Santa Catarina
info@hoermann.com.mx

Hörmann Middle East & Africa
 UAE-Dubai
info.dxb@hoermann.com

Hörmann Myanmar
 MM-Yangon
info@hoermann.com.mm

Hörmann Nederland
 NL-3771 MB Barneveld
info@hoermann.nl

Hörmann Norge
 N-4640 Søgne
info@hoermann.no

Hörmann Polska
 PL-62-052 Komorniki
info@hoermann.pl

Hörmann Portugal
 P-2710-297 Sintra
info@hoermann.pt

Hörmann Romania
 RO-077040, Chiajna,
 Județul Ilfov
info@hoermann.ro

Hörmann Russia
 RUS-196626
 Sankt Petersburg
info@hoermann.ru

Hörmann Schweiz
 CH-4702 Oensingen
info@hoermann.ch

Hörmann Serbia
 SRB-11272
 Beograd-Dobanovci
info@hoermann.rs

Hörmann Slovenija
 SI-3301 Petrovče
info@hoermann.si

Hörmann Slovenská republika
 SK-903 01 Senec
info.bts@hoermann.com

Hörmann Svenska
 S-70369 Örebro
info@hoermann.se

Hörmann Thailand
 TH-Bangplee,
 Samutprakarn 10540
info@hoermann.co.th

Hörmann Türkiye
 TR-34870 Kartal – Istanbul
info.ist@hoermann.com.tr

Hörmann UK
 GB-Leicestershire
 LE67 4JW
info@hoermann.co.uk

Hörmann Ukraine
 UA-08300 Boryspil,
 Kyivska Obl.
info@hoermann.com.ua

Hörmann High Performance Doors
 USA-Burgettstown,
 PA 15021
info@hoermann-flexon.com

Hörmann LLC
 USA-Montgomery,
 IL 60538
info@hoermann.us

Hörmann Vietnam
 VN-Hanoi
info.han@hoermann.vn

For more information on our sales companies and sales partners, visit www.hoermann.com.

International sales partners

Albania
 Algeria
 Argentina
 Armenia
 Australia
 Azerbaijan

Bangladesh
 Bolivia
 Bosnia-Herzegovina
 Brazil
 Cambodia
 Chile

Colombia
 Cuba
 Georgia
 Iceland
 Israel
 Japan

Kosovo
 Luxembourg
 Malta
 Moldova
 Mongolia
 Montenegro

New Zealand
 North Macedonia
 Peru
 South Korea
 Taiwan
 The Philippines

Tunesia
 Turkmenistan
 Uruguay
 Uzbekistan

Prices in €. Copyright. No part of this price list may be reproduced without our permission. All details subject to change.

Table of contents

	Page
■ Non-protruding up-and-over door for collective garages ET 500 with SupraMatic	5
Up to serial number 14181	5
■ Non-protruding up-and-over door for collective garages ET 500 with SupraMatic HT	6
From serial number 14182, with a new door frame from serial number 19060	6
■ Non-protruding up-and-over door for collective garages ET 500 with wicket door	7
From serial number 14182	7
■ Collective garage sliding door ST 500 with SupraMatic H / HT	8
■ Side door for collective garage doors	9
■ Non-protruding up-and-over door for collective garages ET 500 with chain drive operator ITO 400	10
From serial number 14182	10
■ Control and accessories	11
■ Sports hall door SP 500	12
From serial number 18316	12
■ 1. Non-protruding up-and-over door for collective garages ET 500	13
Up to serial number 14181	13
■ 2. Non-protruding up-and-over door for collective garages ET 500	24
From serial number 14182	24
■ 3. Collective garage sliding door ST 500	36
■ 4. Side door and wicket door for collective garages	40
■ 5. Door infills	47
■ 6. Sports hall door SP 500	49
■ 7. Fixing material and general accessories	56
■ 8. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500	61
■ 9. SupraMatic H / HT for collective garage sliding door ST 500	62

Table of contents


	Page
10. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500	65
11. Control 360 with SupraMatic HT 3	69
12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500	71
13. Chain drive operator ITO 400 FU / 500 FU for collective garage sliding door ST 500	78
14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500	82
15. Accessories	96
Spare parts order form	106
General terms and conditions of sale and delivery (issued: 1.3.2020)	107

Symbols used

Symbol	Description	Symbol	Description
	Price on request	•	Prices marked with a dot indicate articles that are available from stock or are available immediately ex works.
	Please note the extended delivery times	ET 500 L	Lightweight version
	Made-to-order goods with delivery time	ET 500 S	Heavy version
	Article has been replaced.		
	No longer available		


Non-protruding up-and-over door for collective garages ET 500 with SupraMatic

Up to serial number 14181




Non-protruding up-and-over door for collective garages ET 500 with SupraMatic HT

From serial number 14182, with a new door frame from serial number 19060




Non-protruding up-and-over door for collective garages ET 500 with wicket door


From serial number 14182



Collective garage sliding door ST 500 with SupraMatic H / HT




Side door for collective garage doors




Non-protruding up-and-over door for collective garages ET 500 with chain drive operator ITO 400

From serial number 14182




Control and accessories



Sports hall door SP 500


From serial number 18316



1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	* 1.1 Door leaf (without fitting) BRB _____ x BRH _____ mm ☐ ET 500 L (lightweight version) ☐ ET 500 S (heavy version) Indicate the style and colour in accordance with the price list.	01.01.2008 –	4630.... 	Unit(s) _____	/ each
	* 1.2 Door leaf, flush-fitting with facade (without fitting) BRB _____ x BRH _____ mm ☐ ET 500 L (lightweight version) ☐ ET 500 S (heavy version) Indicate the style and colour in accordance with the price list.	01.01.2008 –	4630.... 	Unit(s) _____	/ each
	* 1.3 Door leaf with wicket door (without fitting) BRB _____ x BRH _____ mm ☐ ET 500 L (lightweight version) ☐ ET 500 S (heavy version) Indicate the style and colour in accordance with the price list. Position of the door and door handing: ☐ Right - RH hinged ☐ Left - LH hinged ☐ Centre - RH hinged ☐ Centre - LH hinged	01.06.2008 –	4630.... 	Unit(s) _____	/ each






1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 1.4	Door leaf with wicket door, flush-fitting with the facade (without fitting) BRB _____ × BRH _____ mm ☐ ET 500 L (lightweight version) ☐ ET 500 S (heavy version) Indicate the style and colour in accordance with the price list. Position of the door and door handing: ☐ Right - RH hinged ☐ Left - LH hinged ☐ Centre - RH hinged ☐ Centre - LH hinged	01.06.2008 –	4361241 	Unit(s) _____	/ each
	1.5	Roller Ø90 mm with grooved ball bearing Roller screw Hex nut M12, self-locking	01.01.2008 – 01.01.2008 – 01.01.2008 –	4631034 • 4631038 • 4631040 •	Unit(s) _____ _____ _____	/ each / each / each
	1.6	Spacer bush for roller	01.01.2008 –	4631039 •	Unit(s) _____	/ each
	* 1.7	Rail holder for bottom seal BRB _____ mm Drilling screw with pan head 4.2 × 13 mm	01.01.2008 –	4631016 • 4631151 •	Unit(s) _____ _____	/ m / each
	* 1.8	Bottom seal BRB _____ mm	01.01.2008 –	4631003 •	Unit(s) _____	/ m
	1.9	Square finned plug For reinforcement profile	01.01.2008 –	4631041 •	Unit(s) _____	/ each


1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181


Article	Item Description	Production period	Art. no.	Quantity	€
	1.10 Guide arm, complete			Unit(s)	
	ET 500 L	01.01.2008 –	4631031 •	_____	/ each
	ET 500 S	01.01.2008 –	4631033 •	_____	/ each
	Hexagon screw M12 x 30 mm	01.01.2008 –	4631152 •	_____	/ each
	Washer A13	01.01.2008 –	4631150 •	_____	/ each
	* 1.11 Cable Ø4 mm			Unit(s)	
	Standard fitting situations				
	BRH 1920 – 1995 mm (L = 2700)	01.01.2008 –	4631250 •	_____	/ each
	BRH 2000 – 2120 mm (L = 2900)	01.01.2008 –	4631251 •	_____	/ each
	BRH 2125 – 2295 mm (L = 3200)	01.01.2008 –	4631253 •	_____	/ each
	BRH 2300 – 2500 mm (L = 3500)	01.01.2008 –	4631258 •	_____	/ each
	BRH 2505 – 2750 mm (L = 3900)	01.07.2012 –	4631262 •	_____	/ each
	BRH 2755 – 3000 mm (L = 4300)	01.07.2012 –	4631265 •	_____	/ each
	Fitting situation with inclination Indicate BRH _____ mm and inclination in degrees _____.	01.01.2008 –	4631... 	_____	
	Note: Due to safety reasons, always exchange all cables.				
	1.12 Cable socket	01.01.2008 –	4631270 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	* 1.13 Track module			Unit(s)	
	Standard fitting situation ET 500 L				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631071 	_____	/each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631071 	_____	/each
	From BRH 2505 mm	01.07.2012 –	4631071 	_____	/each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631072 	_____	/each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631072 	_____	/each
	From BRH 2505 mm	01.07.2012 –	4631072 	_____	/each
	Standard fitting situation ET 500 S				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631075 	_____	/each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631075 	_____	/each
	From BRH 2505 mm	01.07.2012 –	4631075 	_____	/each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631076 	_____	/each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631076 	_____	/each
	From BRH 2505 mm	01.07.2012 –	4631076 	_____	/each
	Fitting according to inclination ET 500 L				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631073 	_____	/each
	From BRH 2305 mm	01.01.2008 –	4631073 	_____	/each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631074 	_____	/each
	From BRH 2305 mm	01.01.2008 –	4631074 	_____	/each
	Indicate inclination in degrees				
	Fitting according to inclination ET 500 S				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631077 	_____	/each
	From BRH 2305 mm	01.01.2008 –	4631077 	_____	/each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631078 	_____	/each
	From BRH 2305 mm	01.01.2008 –	4631078 	_____	/each
	Indicate inclination in degrees				
	1.14 Pulley	01.01.2008 –	4631035 •	Unit(s) _____	/each



1) 50 % of door price

ORDER	Customer no.: _____	Order no./comm.: _____	*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	* 1.15 Horizontal track			Unit(s)	
	Standard fitting situations				
	Left				
	Up to BRH 2300 mm	01.01.2008 –	4631065 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631065 	_____	/ each
	From BRH 2505 mm	01.07.2012 –	4631065 	_____	/ each
	Right				
	Up to BRH 2300 mm	01.01.2008 –	4631066 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.01.2008 –	4631066 	_____	/ each
	From BRH 2505 mm	01.07.2012 –	4631066 	_____	/ each
	Fitting situation according to inclination				
	ET 500 L				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631067 	_____	/ each
	From BRH 2305 mm	01.01.2008 –	4631067 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631068 	_____	/ each
	From BRH 2305 mm	01.01.2008 –	4631068 	_____	/ each
	Indicate inclination in degrees				
	Fitting situation according to inclination				
	ET 500 S				
	Complete on left				
	Up to BRH 2300 mm	01.01.2008 –	4631069 	_____	/ each
	From BRH 2305 mm	01.01.2008 –	4631069 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.01.2008 –	4631070 	_____	/ each
	From BRH 2305 mm	01.01.2008 –	4631070 	_____	/ each
	Indicate inclination in degrees.				
	1.16 Complete counterbalance			Unit(s)	
	Standard				
	Left	01.01.2008 –	4631022 	_____	/ each
	Right	01.01.2008 –	4631023 	_____	/ each
	Fitting according to inclination				
	Left	01.03.2019 –	4631242 	_____	/ each
	Right	01.03.2019 –	4631243 	_____	/ each
	Countersunk head screw with hexagon socket M8 x 20 mm	01.01.2008 –	4631155 •	_____	/ each
	Self-locking nut with serrated bearing M8	01.01.2008 –	4631156 •	_____	/ each




1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	1.17 Damping carriage			Unit(s)	
	Left Right	01.01.2008 – 01.01.2008 –	4631002 • 4631001 •	_____ _____	/each /each
	1.18 Spring guide Tube 40 × 1 × 1300 mm	01.01.2008 –	4631019 •	Unit(s) _____	/each
	1.19 Tube insert	01.01.2008 –	4631013 •	Unit(s) _____	/each
	Hexagon screw M8 × 16 mm	01.01.2008 –	4631157 •	_____	/each
	Washer M8	01.01.2008 –	4631158 •	_____	/each
	1.20 Compression spring Compression spring	01.01.2008 –	4631055 •	Unit(s) _____	/each
	1.21 Shaft support			Unit(s)	
	Fitting situation Standard according to inclination	01.01.2008 – 01.01.2008 –	4631056 • 4631010 •	_____ _____	/each /each




1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	* 1.22 25° track, complete Standard fitting situations BRH _____ mm Left Right Fitting situation according to inclination BRH _____ mm Indicate inclination in degrees. ET 500 L Left version Right version ET 500 S Left Right Hexagon head self-tapping screw B 6.3 × 19 mm	01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 –	4631079  4631080  4631081  4631082  4631083  4631084  4631138 •	Unit(s) _____ _____ _____ _____ _____ _____ _____	/ each / each / each / each
		01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 –	4631093 • 4631094 • 4631159 • 4631095 • 4631170 • 4631169 •	Unit(s) _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each
		01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 – 01.01.2008 –	4631087 • 4631088 • 4631085 • 4631086 • 4631089 • 4631156 •	Unit(s) _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each






1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item Description	Production period	Art. no.	Quantity	€
	1.25 Rubber buffer	01.01.2008 –	4631037 •	Unit(s) _____	/each
	Self-locking nut with serrated bearing M8	01.01.2008 –	4631156 •	_____	/each
	* 1.26 Track cover			Unit(s)	
	Standard fitting situations				
	Left	01.01.2008 –	4631091 ⚙️	_____	/each
	Right	01.01.2008 –	4631092 ⚙️	_____	/each
	BRH _____ mm				
	Fitting situation according to inclination				
	BRH _____ mm				
	Indicate inclination in degrees				
	ET 500 L				
	Left	01.01.2008 –	4631271 ⚙️	_____	/each
	Right	01.01.2008 –	4631272 ⚙️	_____	/each
	ET 500 S				
	Left	01.01.2008 –	4631273 ⚙️	_____	/each
	Right	01.01.2008 –	4631274 ⚙️	_____	/each
	1.27 Counter weight box			Unit(s)	
	ET 500 L ET 500 S	01.07.2014 – 01.07.2014 –	4631101 • 4631102 •	_____ _____	/each /each
	1.28 Pulley bearing for counter weight box, complete	01.01.2008 –	4631103 •	_____	/each
	Hexagon screw M8 x 25 mm	01.01.2008 –	4631174 •	_____	/each
	Washer A8.4	01.01.2008 –	4631160 •	_____	/each
	1.29 Counter weight plate (solid)			Unit(s)	
	ET 500 L, 120 x 8 x 160 mm ET 500 S, 120 x 12 x 230 mm	01.01.2008 – 01.01.2008 –	4631025 • 4631026 •	_____ _____	/each /each




1) 50 % of door price

ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.30 Counter weight cladding			Unit(s)	
		Standard fitting situations				
		ET 500 L				
		Left	01.01.2008 –	4631111 	_____	/ m
		Right	01.01.2008 –	4631113 	_____	/ m
		BRH _____ mm				
		ET 500 S				
		Left	01.01.2008 –	4631112 	_____	/ m
		Right	01.01.2008 –	4631114 	_____	/ m
		BRH _____ mm				
		Fitting according to inclination BRH _____ mm Indicate inclination in degrees				
		ET 500 L				
		Left	01.01.2008 –	4631104 	_____	/ m
		Right	01.01.2008 –	4631105 	_____	/ m
		ET 500 S				
		Left	01.01.2008 –	4631203 	_____	/ m
		Right	01.01.2008 –	4631204 	_____	/ m
		1.31 Plastic cap	01.01.2008 –	4631115 •	Unit(s)	/ each
		For square tube				
	*	1.32 Counter weight cover, exterior			Unit(s)	
		ET 500 L	01.01.2008 –	4631121 	_____	/ m
		BRH _____ mm				
		ET 500 S	01.01.2008 –	4631123 	_____	/ m
		BRH _____ mm				
		Round-head screw with square neck M6 x 50	01.01.2008 –	4631171 •	_____	/ each
		Self-locking nut with serrated bearing M6	01.01.2008 –	4631169 •	_____	/ each
		Pan-head tapping screw ST 6.3 x 16 mm	01.01.2008 –	4631149 •	_____	/ each




1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 1.33	Counter weight cover			Unit(s)	
		Standard fitting situations				
		ET 500 L				
		Interior left	01.01.2008 –	4631122 	_____	/m
		Interior right	01.01.2008 –	4631125 	_____	/m
		BRH _____ mm				
		ET 500 S				
		Interior left	01.01.2008 –	4631124 	_____	/m
		Interior right	01.01.2008 –	4631126 	_____	/m
		BRH _____ mm				
	1.34	Universal anchor	01.01.2008 –	4631148 •	Unit(s) _____	/each
	1.35	Track anchor	01.01.2008 –	4631147 •	Unit(s) _____	/each
		Track screw	01.01.2008 –	4631089 •	_____	/each
		Self-locking nut with serrated bearing M8	01.01.2008 –	4631156 •	_____	/each
	1.36	Plastic frame shoe			Unit(s)	
		black				
		120 × 60 mm	01.07.2017 –	4600090 •	_____	/each
		160 × 60 mm	01.07.2017 –	4600092 •	_____	/each
		260 × 60 mm	01.03.2019 –	4600098 •	_____	/each





1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

1. Non-protruding up-and-over door for collective garages

ET 500

Up to serial number 14181




Article	Item Description	Production period	Art. no.	Quantity	€
	1.37 Special anchor	01.01.2008 –	4631146 •	Unit(s) _____	/ each
	Hexagon head self-tapping screw B 6.3 × 19 mm	01.01.2008 –	4631138 •	_____	/ each
	1.38 Track wall anchor	01.01.2008 –	4631145 •	Unit(s) _____	/ each
	For door frame fixing Hexagon head self-tapping screw, B 8 × 22 mm self-locking	01.01.2008 –	4631144 •	_____	/ each
	1.39 Spacer profile for flush-fitting door leaves	01.01.2008 –	4631036 •	Unit(s) _____	/ each
	Welding module	01.01.2008 –	4631143 •	_____	/ each
	Hexagon screw M12 × 90 mm Washer A13	01.01.2008 –	4631150 •	_____	/ each
	1.40 Accessory pack	01.01.2008 –	4631015 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182





Article	Item	Description	Production period	Art. no.	Quantity	€
	*	2.1 Door leaf (without fitting) BRB _____ × BRH _____ mm ☐ ET 500 L ☐ ET 500 S Indicate the style and colour in accordance with the price list	01.07.2014 –	4630..... ⌚	Unit(s) _____	/each
	*	2.2 Door leaf, flush-fitting with facade (without fitting) BRB _____ × BRH _____ mm ☐ ET 500 L ☐ ET 500 S Indicate the style and colour in accordance with the price list	01.07.2014 –	4630..... ⌚	Unit(s) _____	/each
	*	2.3 Door leaf with wicket door (without fitting) BRB _____ × BRH _____ mm ☐ ET 500 L ☐ ET 500 S Indicate the style and colour in accordance with the price list Position of the door and door handing: ☐ Right - RH hinged ☐ Left - LH hinged ☐ Centre - RH hinged ☐ Centre - LH hinged	01.07.2014 –	4630..... ⌚	Unit(s) _____	/each

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.4	Door leaf with wicket door, flush-fitting with the facade (without fitting) BRB _____ × BRH _____ mm ☐ ET 500 L ☐ ET 500 S Indicate the style and colour in accordance with the price list Position of the door and door handing: ☐ Right - RH hinged ☐ Left - LH hinged ☐ Centre - RH hinged ☐ Centre - LH hinged	01.07.2014 –	4630..... 	Unit(s) _____	/ each
	2.5	Roller, Ø90 mm, with grooved ball bearing Roller screw Hex nut M12, self-locking	01.01.2008 – 01.01.2008 – 01.01.2008 –	4631034 • 4631038 • 4631040 •	Unit(s) _____ _____ _____	/ each / each / each
	2.6	Spacer bush for roller	01.01.2008 –	4631039 •	Unit(s) _____	/ each
	* 2.7	Rail holder for bottom seal BRB _____ mm Drilling screw with pan head 4.2 × 13 mm	01.01.2008 – 30.06.2017 01.07.2017 –	4631016  4631117 • 4631151 •	Unit(s) _____ _____ _____	/ m / each
	* 2.8	Bottom seal Up to serial number 14181 From serial number 14182 Indicate serial number.	01.01.2008 – 30.06.2014 01.07.2014 –	4631003 • 4631003 •	Unit(s) _____ _____	/ m / m
	* 2.9	Rubber bottom edge for door leaf BRB _____ mm	01.01.2016 –	4645001 •	Unit(s) _____	/ m

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		


From serial number 14182

1) 50 % of door price

26

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182




Article	Item Description	Production period	Art. no.	Quantity	€
	2.14 Cable socket	01.01.2008 –	4631270 •	Unit(s) _____	/ each
	* 2.15 Track module			Unit(s)	
	Standard fitting situation ET 500 L				
	Complete on left				
	Up to BRH 2300 mm	01.07.2014 –	4631434 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.07.2014 –	4631434 	_____	/ each
	From BRH 2505 mm	01.07.2014 –	4631434 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.07.2014 –	4631435 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.07.2014 –	4631435 	_____	/ each
	From BRH 2505 mm	01.07.2014 –	4631435 	_____	/ each
	Standard fitting situation ET 500 S				
	Complete on left				
	Up to BRH 2300 mm	01.07.2014 –	4631436 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.07.2014 –	4631436 	_____	/ each
	From BRH 2505 mm	01.07.2014 –	4631436 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.07.2014 –	4631437 	_____	/ each
	From BRH 2305 mm – 2500 mm	01.07.2014 –	4631437 	_____	/ each
	From BRH 2505 mm	01.07.2014 –	4631437 	_____	/ each
	Fitting according to inclination				
	ET 500 L				
	Complete on left				
	Up to BRH 2300 mm	01.07.2014 –	4631434 	_____	/ each
	From BRH 2305 mm	01.07.2014 –	4631434 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.07.2014 –	4631435 	_____	/ each
	From BRH 2305 mm	01.07.2014 –	4631435 	_____	/ each
	Indicate inclination in degrees				
	Fitting according to inclination				
	ET 500 S				
	Complete on left				
	Up to BRH 2300 mm	01.07.2014 –	4631436 	_____	/ each
	From BRH 2305 mm	01.07.2014 –	4631436 	_____	/ each
	Complete on right				
	Up to BRH 2300 mm	01.07.2014 –	4631437 	_____	/ each
	From BRH 2305 mm	01.07.2014 –	4631437 	_____	/ each
	Indicate inclination in degrees				

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
Date and place: _____		Stamp and signature _____		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182





Article	Item	Description	Production period	Art. no.	Quantity	€
	2.16 Pulley		01.01.2008 –	4631035 •	Unit(s) _____	/each
	* 2.17 Horizontal track	Fitting situation ☐ Standard ☐ Fitting according to inclination Indicate inclination in degrees Left Up to BRH 2300 mm From BRH 2305 mm – 2500 mm From BRH 2505 mm Right Up to BRH 2300 mm From BRH 2305 mm – 2500 mm From BRH 2505 mm Indicate inclination in degrees	01.07.2014 – 01.07.2014 – 01.07.2014 – 01.07.2014 – 01.07.2014 – 01.07.2014 – 01.07.2014 –	4631438 ⚙️ 4631438 ⚙️ 4631438 ⚙️ 4631439 ⚙️ 4631439 ⚙️ 4631439 ⚙️	Unit(s) _____ _____ _____ _____ _____ _____	/each /each /each /each /each /each
	2.18 Complete counterbalance	Standard Left Right Fitting according to inclination Left Right Countersunk head screw with hexagon socket M8 × 20 mm Self-locking nut with serrated bearing M8	01.01.2008 – 01.01.2008 – 01.03.2019 – 01.03.2019 – 01.01.2008 – 01.01.2008 –	4631022 ⚙️ 4631023 ⚙️ 4631242 ⚙️ 4631243 ⚙️ 4631155 • 4631156 •	Unit(s) _____ _____ _____ _____ _____ _____	/each /each /each /each /each /each
	2.19 Damping carriage	Left Right	01.01.2008 – 01.01.2008 –	4631002 • 4631001 •	Unit(s) _____ _____	/each /each

1) 50 % of door price

ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182




Article	Item Description	Production period	Art. no.	Quantity	€
	2.20 Spring guide Tube 40 × 1 × 1300 mm	01.01.2008 –	4631019 •	Unit(s) _____	/ each
	2.21 Tube insert Hexagon screw M8 × 16 mm Washer M8	01.01.2008 –	4631013 • 4631157 • 4631158 •	Unit(s) _____ _____ _____	/ each / each / each
	2.22 Front shaft support Fitting situation Standard according to inclination	01.01.2008 – 01.01.2008 –	4631056 • 4631010 •	Unit(s) _____ _____	/ each / each
	2.23 Rear shaft support	01.07.2017 –	4631177 •	Unit(s) _____	/ each
	2.24 Compression spring	01.01.2008 –	4631055 •	Unit(s) _____	/ each
	2.25 Locking bracket (SP576300), galvanized From serial number 18239 Left Right	01.03.2019 – 01.03.2019 –	4600547 • 4600546 •	Unit(s) _____ _____	/ each / each

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182





Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.26 Vertical track with external cover				Unit(s)	
		Fitting situation				
		☐ Standard				
		☐ Fitting according to inclination				
		☐ Flush-fitting with facade				
		BRH _____ mm				
	ET 500 L					
	Cover galvanized					
	Left	01.07.2014 –	4631441		_____	/each
	Right	01.07.2014 –	4631442		_____	/each
		Cover with powder coating in door leaf colour				
	Left	01.07.2014 –	4631441		_____	/each
	Right	01.07.2014 –	4631442		_____	/each
	ET 500 S					
	Cover galvanized					
	Left	01.07.2014 –	4631443		_____	/each
	Right	01.07.2014 –	4631444		_____	/each
	Cover with powder coating in door leaf colour					
	Left	01.07.2014 –	4631443		_____	/each
	Right	01.07.2014 –	4631444		_____	/each
		Pan head self-tapping screw ST 6.3 × 16 mm	01.07.2014 –	4631149	• _____	/each
	2.27 Track 15°				Unit(s)	
	Fitting situation					
	Standard	01.07.2014 –	4631440		_____	/each
	according to inclination	01.07.2014 –	4631449		_____	/each
	Countersunk screw with hexagon socket M6 × 12 mm		4631450	• _____	_____	/each
	2.28 Track connection 15°		01.07.2014 –	4631433	• _____	/each
	Track screw			4631089	• _____	/each
	Self-locking nut with serrated bearing M8			4631156	• _____	/each

1) 50 % of door price

ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name:		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182







Article	Item Description	Production period	Art. no.	Quantity	€
	2.29 End stop Flat-head screw with hexagon socket M8 x 40 mm Self-locking nut with serrated bearing M8	01.07.2014 –	4631430 •	Unit(s) _____	/ each
			4631431 •	_____	/ each
			4631156 •	_____	/ each
	2.30 Protection for photocell Pan head self-tapping screw ST4.8 x 13 mm	01.07.2014 – 30.06.2017 01.07.2017 –	4631432 ↻	Unit(s) _____	/ each
			4631469 •	_____	/ each
			4631459 •	_____	/ each
	2.31 Track bracket Pulley screw Hex nut M18 x 1.5 Cable compensation bush Washer A6.4 Self-locking nut with serrated bearing M6	01.01.2008 –	4631093 •	Unit(s) _____	/ each
			4631094 •	_____	/ each
		01.01.2008 –	4631159 •	_____	/ each
			4631095 •	_____	/ each
		01.01.2008 –	4631170 •	_____	/ each
			4631169 •	_____	/ each
	2.32 Track support bracket Standard fitting situations Track screw Self-locking nut with serrated bearing M8	01.07.2014 – 30.06.2017 01.07.2017 –	4631425 ↻	Unit(s) _____	/ each
			4631178 •	_____	/ each
			4631089 •	_____	/ each
			4631156 •	_____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182




Article	Item Description	Production period	Art. no.	Quantity	€
	2.33 Track support bracket			Unit(s)	
	Fitting with inclination Indicate inclination in degrees				
	ET 500 L				
	Left	01.07.2014 –	4631426 •	_____	/each
	Right	01.07.2014 –	4631427 •	_____	/each
	ET 500 S				
	Left	01.07.2014 –	4631428 •	_____	/each
	Right	01.07.2014 –	4631429 •	_____	/each
	Track screw		4631089 •	_____	/each
	Self-locking nut with serrated bearing M8		4631156 •	_____	/each
	2.34 Rubber buffer for fitting according to inclination	01.01.2008 –	4631037 •	_____	/each
	Self-locking nut with serrated bearing M8		4631156 •	_____	/each
	2.35 Counter weight box			Unit(s)	
	ET 500 L ET 500 S	01.07.2014 – 01.07.2014 –	4631423 • 4631424 •	_____ _____	/each /each
	2.36 Pulley bearing for counter weight box, complete	01.01.2008 –	4631103 •	_____	/each
	Hexagon screw M8 x 25 mm		4631174 •	_____	/each
	Washer A8.4		4631160 •	_____	/each
	2.37 Solid counter weight plate			Unit(s)	
	ET 500 L, 120 x 8 x 160 mm ET 500 S, 120 x 12 x 230 mm	01.01.2008 – 01.01.2008 –	4631025 • 4631026 •	_____ _____	/each /each

1) 50 % of door price

ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182






Article	Item Description	Production period	Art. no.	Quantity	€
	2.38 Weight box support			Unit(s)	
	ET 500 L	01.07.2014 – 30.06.2017	4631445 ↻	_____	/ each
		01.07.2017 –	4631467 •	_____	/ each
	ET 500 S	01.07.2014 – 30.06.2017	4631446 ↻	_____	/ each
		01.07.2017 –	4631468 •	_____	/ each
	2.39 Weight box fitting plate			Unit(s)	
	ET 500 L	01.07.2014 –	4631447 •	_____	/ each
	ET 500 S	01.07.2014 –	4631448 •	_____	/ each
	2.40 Counter weight cover			Unit(s)	
	Standard fitting situations				
	ET 500 L				
	Interior left	01.07.2014 –	4631451 •	_____	/ m
	Interior right	01.07.2014 –	4631452 •	_____	/ m
	BRH _____ mm				
	ET 500 S				
	Interior left	01.07.2014 –	4631453 •	_____	/ m
	Interior right	01.07.2014 –	4631454 •	_____	/ m
	BRH _____ mm				
	Fitting situation Flush-fitting with facade				
	ET 500 L				
	Interior left	01.07.2014 –	4631455 •	_____	/ m
	Interior right	01.07.2014 –	4631456 •	_____	/ m
	ET 500 S				
	Interior left	01.07.2014 –	4631457 •	_____	/ m
	Interior right	01.07.2014 –	4631458 •	_____	/ m
	Pan head self-tapping screw ST 6.3 × 16 mm		4631149 •	_____	/ each
	2.41 Universal anchor	01.01.2008 – 30.06.2017	4631148 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

2. Non-protruding up-and-over door for collective garages ET 500

From serial number 14182






Article	Item Description	Production period	Art. no.	Quantity	€
	2.42 Track anchor	01.01.2008 – 30.06.2017	4631147 •	Unit(s) _____	/each
	Track screw	01.01.2008 –	4631089 •	_____	/each
	Self-locking nut with serrated bearing M8	01.01.2008 –	4631156 •	_____	/each
	2.43 Seal for transom light frame Flush-fitting, length 3050 mm	01.07.2017 –	4600067 •	Unit(s) _____	/each
	2.44 Plastic frame shoe			Unit(s)	
	black 120 × 60 mm 160 × 60 mm	01.07.2017 – 01.07.2017 –	4600090 • 4600092 •	_____ _____	/each /each
	2.45 Special anchor	01.01.2008 –	4631146 •	Unit(s) _____	/each
	Hexagon head self-tapping screw B 6.3 × 19 mm		4631138 •	_____	/each
	2.46 Track wall anchor For door frame fixing	01.01.2008 –	4631145 •	Unit(s) _____	/each
	Hexagon head self-tapping screw, B 8 × 22 mm self-locking		4631144 •	_____	/each
	2.47 Spacer profile for flush-fitting door leaves			Unit(s)	
	Welding module	01.07.2014 –	4631036 •	_____	/each
	Hexagon screw M12 × 90 mm Washer A13		4631143 • 4631150 •	_____ _____	/each /each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

2. Non-protruding up-and-over door for collective garages ET 500





From serial number 14182

Article	Item Description	Production period	Art. no.	Quantity	€
	2.48 Cable cover BRH _____ mm			Unit(s)	
	Cable cover, galvanized				
	Left	01.11.2014 –	4631465 •	_____	/ each
	Right	01.11.2014 –	4631466 •	_____	/ each
	Cable cover with powder coating in door leaf colour				
	Left	01.11.2014 –	4600913 •	_____	/ each
	Right	01.11.2014 –	4600914 •	_____	/ each
	Cable cover with powder coating in door leaf colour				
	Left	01.11.2014 –	4631465 •	_____	/ each
	Right	01.11.2014 –	4631466 •	_____	/ each
	Self-tapping screw with pan-head C-T 5.5 x 32 z T25		4631464 •	_____	/ each
	2.49 Cable duct			Unit(s)	
	Transom light frame				
	Left	01.11.2014 –	4600913 •	_____	/ each
	Right	01.11.2014 –	4600914 •	_____	/ each
	2.50 Accessory pack	01.07.2014 –	4631422 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		





3. Collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	* 3.1 Door leaf (without fitting) BRB _____ × BRH _____ mm Indicate the style and colour in accordance with the price list	01.04.2010 –	4631401 ⌚	Unit(s) _____	/each
	* 3.2 Door leaf with wicket door (without fitting) BRB _____ × BRH _____ mm Indicate the style and colour in accordance with the price list Position of the door and door handing: ☐ Right - RH hinged ☐ Left - LH hinged ☐ Centre - RH hinged ☐ Centre - LH hinged	01.04.2010 –	4631411 ⌚	Unit(s) _____	/each
	* 3.3 Bottom profile Only for SupraMatic operator L = 2500 mm L = 3000 mm	01.04.2010 – 01.07.2012 –	4631329 • 4631330 •	Unit(s) _____ _____	/each /each
	3.4 Top roller holder, complete Round-head screw with square neck M8 × 80 Self-locking nut with serrated bearing M8 Washer M8 (9 × 28 × 3 mm)	01.04.2010 –	4631324 • 4631172 • 4631156 • 4631326 •	Unit(s) _____ _____ _____ _____	/each /each /each /each
	3.5 Roller, Ø 62 mm, with grooved ball bearing	01.04.2010 –	4631327 •	Unit(s) _____	/each

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		






3. Collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
 24 x 12 x	3.6 Sealing set per door BRB ≤ 3000 mm BRB > 3000 mm	01.07.2014 – 01.07.2014 –	4631333 • 4631337 •	Unit(s) _____ _____	/ each / each
	* 3.7 Welding module for transom light frame with roller guide BRB _____ mm Galvanized Color according to price list RAL to choose or CH 703 Special colour Note: For each sliding door 2 transom light frames are required.	01.04.2010 –	4631311	Unit(s) _____ _____ _____ _____	/ m / m / m / m
	* 3.8 Welding module for side frame Hexagon screws with flange M8 × 120 mm (2 ×) BRH _____ mm Galvanized Color according to price list RAL to choose or CH 703 Special colour Countersunk head screw with hexagon socket M8 × 220 mm Washer M8 (9 × 28 × 3) Self-locking nut with serrated bearing M8	03.02.2014 –	4631341 4631308 • 4631326 • 4631156 •	Unit(s) _____ _____ _____ _____ _____ _____ _____	/ m / m / m / m / each / each / each
	3.9 Plastic frame shoe 100 × 40 mm, black	01.07.2017 –	4600091 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		






3. Collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	3.10 Frame bracket For side frame fixing	01.04.2010 –	4631316 •	Unit(s) _____	/each
	Hexagon head self-tapping screw 6.3 × 19 mm		4631138 •	_____	/each
	3.11 Frame bracket For top frame fixing	01.04.2010 –	4631306 •	Unit(s) _____	/each
	Hexagon head self-tapping screw, B 8 × 22 mm self-locking		4631144 •	_____	/each
	3.12 Track anchor	01.04.2010 –	4631307 •	Unit(s) _____	/each
	3.13 Perforated anchor Round-head screw with square neck M8 × 16 mm Self-locking nut with serrated bearing M8	01.04.2010 –	438567 •	Unit(s) _____	/each
			4631176 •	_____	/each
			4631156 •	_____	/each
	3.14 Link bracket Hexagon head self-tapping screw B8 × 22 mm	03.02.2014 –	4631460 •	Unit(s) _____	/each
			4631144 •	_____	/each
	3.15 Tube for connecting the frame Hexagon screw with flange M8 × 120 mm	01.04.2010 –	4631305 •	Unit(s) _____	/each
			4631339 •	_____	/each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		


3. Collective garage sliding door ST 500


Article	Item Description	Production period	Art. no.	Quantity	€
	3.16 Roller holder module, bottom	01.04.2010 –	4631317 •	Unit(s) _____	/ each
	Track screw		4631089 •	_____	/ each
	Self-locking nut with serrated bearing M8		4631156 •	_____	/ each
	3.17 Roller, Ø45 mm, with grooved ball bearing	01.04.2010 –	4631323 •	Unit(s) _____	/ each
	3.18 Retaining angle for bottom roller holder	01.04.2010 –	4631319 •	Unit(s) _____	/ each
	Self-tapping screw with pan-head ST6.3 × 16 mm		4631149 •	_____	/ each
	3.19 Retaining angle for bottom roller holder (long)	01.04.2010 –	4631320 •	Unit(s) _____	/ each
	Pan head self-tapping screw ST6.3 × 16 mm		4631149 •	_____	/ each
	3.20 Accessory pack	03.02.2014 –	4631340 •	Unit(s) _____	/ each


1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

4. Side door and wicket door for collective garages

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	4.1 Door leaf For side door (without door hinge and fitting) RAM width _____ × RAM height _____ mm Door handing ☐ LH hinged ☐ RH hinged Indicate the style and colour in accordance with the price list. Note: From September 2011, screwed door hinges Order door hinges separately.	01.08.2008 –	4631221 	Unit(s)	/each





	*	4.2 Door subframe For side door (without door hinge) RAM width _____ × RAM height _____ mm Indicate colour and handing. Note: From September 2011, screwed door hinges Order door hinges separately.	01.08.2008 –	4631220 	Unit(s)	/each

		4.3 Fitting anchor Hexagon head self-tapping screw 6.3 × 19 mm	01.08.2008 –	4631011 •	Unit(s)	/each
				4631138 •	_____	

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		



4. Side door and wicket door for collective garages

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	4.4 Wicket door ET 500 (without fitting) BRH _____ mm ☐ LH hinged ☐ RH hinged ☐ Concealed door hinge ☐ Screwed door hinge Indicate the style and colour in accordance with the price list	01.06.2008 –	4631241 	Unit(s) _____	/ each
	*	4.5 Wicket door ST 500 (without fitting) BRH _____ mm ☐ LH hinged ☐ RH hinged Indicate the style and colour in accordance with the price list	01.04.2010 –	4631241 	Unit(s) _____	/ each
	*	4.6 Side threshold Length _____ mm Torx drilling screw 4.2 × 11 mm	01.08.2008 –	4631181 • 4631137 •	Unit(s) _____ _____	/ m / each
		4.7 Wicket door seal Without brush seal, on 3 sides for styles 420, 422 and 480 BRH _____ mm ☐ LH hinged ☐ RH hinged Indicate the colour in accordance with the price list Torx drilling screw 4.2 × 11 mm Countersunk head screw 3.9 × 25 mm	01.07.2014 –	4631462  4631137 • 4631463 •	Unit(s) _____ _____	/ each / each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		





4. Side door and wicket door for collective garages

Article	Item Description	Production period	Art. no.	Quantity	€
	4.8 Brush seal, on side for wicket door L = 3000 mm	01.07.2014 –	4631217 •	Unit(s) _____	/ m
	4.9 Lock Profile cylinder LH hinged RH hinged With anti-panic function, LH hinged With anti-panic function, RH hinged KABA LH hinged RH hinged With anti-panic function, LH hinged With anti-panic function, RH hinged Countersunk head screw M5 x 25 mm	01.08.2008 – 01.08.2008 – 01.08.2008 – 01.08.2008 – 01.08.2008 – 01.08.2008 – 01.08.2008 – 01.08.2008 –	4631182 • 4631183 • 4631017 • 4631018 • 4631186 • 4631187 • 4631188 • 4631189 • 4631048 •	Unit(s) _____ _____ _____ _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each / each / each / each
	4.10 SVP lock B 1916 With lock plate PC RC	01.03.2018 – 01.03.2018 –	4600469 • 4600470 •	Unit(s) _____ _____	/ each / each
	4.11 Lock plate cover Countersunk head screw M5 x 25 mm	01.08.2008 –	4631190 • 4631048 •	Unit(s) _____ _____	/ each / each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		



4. Side door and wicket door for collective garages

Article	Item Description	Production period	Art. no.	Quantity	€
	4.12 Lock plate	01.08.2008 –	4631191 •	Unit(s) _____	/ each
	Countersunk head screw M5 × 25 mm		4631048 •	_____	/ each
	4.13 Standard lever handle set offset / offset Plastic, black, without square lever pin for profile cylinders	01.08.2008 –	4630213 •	Unit(s) _____	/ each
	4.14 Lever handle set offset / flat Plastic, black, without square lever pin for profile cylinders Note: Not for ST 500	01.06.2010 –	4630214 •	Unit(s) _____	/ each
	4.15 Square lever pin L = 117 mm, □ 9 mm	01.08.2008 –	4631192 •	Unit(s) _____	/ each
	4.16 Square lever pin L = 110 mm, □ 9 mm	01.03.2020 –	4631194 •	Unit(s) _____	/ each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		



4. Side door and wicket door for collective garages

Article	Item	Description	Production period	Art. no.	Quantity	€
	4.17	Pull handle for ST 500	01.06.2010 –	4631193 •	Unit(s) _____	/each
	* 4.18	Sound-absorbing seal for threshold Length _____ mm	01.08.2008 –	4631184 •	Unit(s) _____	/m
	4.19	Door hinge, concealed Countersunk screw M6 × 12 mm (6 ×) Hexagon head self-tapping screw, B 8 × 22 mm self-locking	01.04.2010 –	4631313 • 4631144 •	Unit(s) _____ _____	/each /each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		




4. Side door and wicket door for collective garages

Article	Item Description	Production period	Art. no.	Quantity	€
	4.20 Door hinge, screwed Cylinder screws M8 × 25 mm (4 ×)			Unit(s)	
	Silver-coloured aluminium ☐ LH hinged ☐ RH hinged	01.09.2011 – 01.09.2011 –	4631461 • 4631461 •	_____ _____	/ each / each
	Powder-coated primer in door leaf colour Left Right	01.09.2011 – 01.09.2011 –	4631461 • 4631461 •	_____ _____	/ each / each
	Indicate the colour in accordance with the price list				
	Hexagon head self-tapping screw, B 8 × 22 mm self-locking		4631144 •	_____	/ each
	4.21 Black plastic cover cap	01.09.2011 –	4600215 •	Unit(s) _____	/ each
	4.22 Electric door strike without lock plate Note: For lock plate adjustment, please specify if order is a replacement or retrofitting.	01.10.2014 –	4634135 •	Unit(s) _____	/ each
	4.23 Lock plate, 92 mm, for electric door strike Countersunk screw M5 × 16 mm Torx	01.10.2014 –	4634136 • 4634137 •	Unit(s) _____ _____	/ each / each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		





4. Side door and wicket door for collective garages

Article	Item Description	Production period	Art. no.	Quantity	€
	4.24 Reed contact spacer for wicket door Tapping screw with countersunk head ST 4.8 × 32 mm	01.10.2014 –	4630260 •	Unit(s) _____	/ each
			4631140 •	_____	/ each
	4.25 Reed contact plate for wicket door Pozidrive self-tapping screw 4.8 × 16 mm	01.10.2014 –	4630261 •	Unit(s) _____	/ each
			4631141 •	_____	/ each
	4.26 Fitting anchor for side door (8 ×)	01.08.2008 –	4631004 •	Unit(s) _____	/ each

- 1) 50 % of door price
- 2) 60 % of door price
- 3) 50 % of door price of style 412
- 4) 25 % of price for door with wicket door





ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
	Customer name: _____	Delivery address: _____	Order no.: _____	Year of manufacture: _____
	Delivery address: _____	_____	Serial no.: _____	Size: _____
	_____	_____	Stamp and signature	
	Date and place: _____	_____		

5. Door infills

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	5.1 Perforated aluminium sheet, style 432	01.07.2012 –	4631057	Unit(s)	
		Height (H) _____ x width (B) _____ mm Galvanized Color RAL to choose or CH 703 Special colour Indicate the colour in accordance with the price list Torx drilling screw 4.2 x 11 mm			_____ _____ _____ _____	/m ² /m ² /m ² /m ²
				4631137	•	/ each
	*	5.2 Perforated aluminium sheet, style 433	01.07.2012 –	4631058	Unit(s)	
		Height (H) _____ x width (B) _____ mm Galvanized Color RAL to choose or CH 703 Special colour Indicate the colour in accordance with the price list Torx drilling screw 4.2 x 11 mm			_____ _____ _____ _____	/m ² /m ² /m ² /m ²
				4631137		/ each
	*	5.3 Infill and section fixing, aluminium bracket 25 x 25 x 3 mm	01.01.2008 –	4631165	Unit(s)	
		Length _____ mm Drilling screw 4.2 x 19 mm			_____ _____	/ m / each
				4631175	•	
		5.4 Sealing strip 15 x 3 mm	01.01.2008 –	4631049	Unit(s)	
		Roll, 30 m			_____ _____	/ each





ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

5. Door infills

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	5.5 Section profile, style 480			Unit(s)	
		Height 500 mm, length _____ mm	01.01.2008 –	4631043 	_____	/ m ²
		Height 625 mm, length _____ mm	01.01.2008 –	4631044 	_____	/ m ²
		Indicate the colour in accordance with the price list Attention: Technical clarification or the order number is required for the topmost section profile.				
	*	5.6 Section profile, style 480 with ventilation grille			Unit(s)	
		Height 500 mm, length _____ mm	01.01.2008 –	4631045 	_____	/ m ²
		Height 625 mm, length _____ mm	01.01.2008 –	4631046 	_____	/ m ²
		Indicate the colour in accordance with the price list Indicate the number and position of the ventilation grilles.				
	*	5.7 Aluminium frame type N, anodised, without infill			Unit(s)	
		Height 500 mm, length _____ mm	01.01.2008 –	4631059 	_____	/ m ²
		Height 625 mm, length _____ mm	01.01.2008 –	4631359 	_____	/ m ²
		5.8 Section connection bracket	01.01.2008 –	4631161 •	Unit(s) _____	/ each
		Hexagon head self-tapping screw, self-locking 6.3 × 16 mm		4631154 •	_____	/ each
	*	5.9 Section fixing made of aluminium profile			Unit(s)	
		Length _____ mm Drilling screw 4.2 × 19 mm	01.01.2008 –	4631162 • 4631175 •	_____ _____	/ m / each

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		




6. Sports hall door SP 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 6.1 Bottom seal	BRB _____ mm	01.01.2013 –	4634101 •	Unit(s) _____	/ m
	* 6.2 Rail holder	For a bottom seal with impact surface base construction BRB _____ mm Torx drilling screw 4.2 x 11 mm	01.07.2014 –	4634117 • 4631137 •	Unit(s) _____ _____	/ m / each
	6.3 Roller holder, complete	Hex nut M16, self-locking	01.01.2013 –	4634118 • 4634119 •	Unit(s) _____ _____	/ each / each
	* 6.4 Cable Ø4 mm	BRH 1800 – 1900 mm (L = 2300) BRH 1905 – 1950 mm (L = 2400) BRH 1955 – 2050 mm (L = 2500) BRH 2055 – 2150 mm (L = 2600) BRH 2155 – 2345 mm (L = 2800) BRH 2350 – 2560 mm (L = 3200) BRH 2565 – 3600 mm (L = 3600) Note: Due to safety reasons, always exchange all cables.	01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 –	4631246 • 4631247 • 4631248 • 4631249 • 4631268 • 4631253 • 4631259 •	Unit(s) _____ _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each / each
	6.5 Cable socket		01.01.2013 –	4631270 •	Unit(s) _____	/ each
	6.6 Lock	From serial number 18316 Replacement for: 4634103, 4634104, 4634108 and 4334109	12.11.2018 –	4600495 •	Unit(s) _____	/ each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		





6. Sports hall door SP 500

Article	Item Description	Production period	Art. no.	Quantity	€
	6.7 Interior handle	01.01.2013 –	4631096 •	Unit(s) _____	/each
	Tallow-drop screw M5 x 20 mm		4634121 •	_____	/each
	6.8 Lock	01.01.2013 –	4634102 •	Unit(s) _____	/each
	Cylinder screw M4 x 30 mm		4634123 •	_____	/each
	6.9 Folding ring recessed handle	01.01.2013 – 01.01.2013 –	4600496 •	Unit(s) _____	/each
	Silver-coloured aluminium Anodised stainless steel effect		4600497 •	_____	/each
	6.10 Spacer bush with square hole	01.01.2013 –	4634122 •	Unit(s) _____	/each
	* 6.11 Track module			Unit(s)	
	Indicate door size and infill weight				
	Left				
	BRH 2000 – 2250 mm (L = 2250)	01.01.2013 –	46330.... 	_____	/each
	BRH 2255 – 2500 mm (L = 2500)	01.01.2013 –	46330.... 	_____	/each
	BRH 2505 – 2750 mm (L = 2750)	01.01.2013 –	46330.... 	_____	/each
	Right				
	BRH 2000 – 2250 mm (L = 2250)	01.01.2013 –	46330.... 	_____	/each
	BRH 2255 – 2500 mm (L = 2500)	01.01.2013 –	46330.... 	_____	/each
	BRH 2505 – 2750 mm (L = 2750)	01.01.2013 –	46330.... 	_____	/each

1) 50 % of door price

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		






6. Sports hall door SP 500

Article	Item Description	Production period	Art. no.	Quantity	€
	* 6.12 Horizontal track Left BRH 2000 – 2250 mm (L = 2250) BRH 2255 – 2500 mm (L = 2500) BRH 2505 – 2750 mm (L = 2750) Right BRH 2000 – 2250 mm (L = 2250) BRH 2255 – 2500 mm (L = 2500) BRH 2505 – 2750 mm (L = 2750)	01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 – 01.01.2013 –	4633081  4633083  4633085  4633082  4633084  4633086 	Unit(s) _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each
	6.13 Complete counterbalance Indicate door size and infill weight 60 Newton Left Right 80 Newton Left Right Countersunk head screw with hexagon socket M8 × 20 mm Self-locking nut with serrated bearing M8				
					
	6.14 Compression spring 60 Newton, black 80 Newton, grey				
					
	6.15 Cover support bracket (exterior and interior bracket) Pulley screw Hex nut M18 × 1.5 Cable compensation bush Washer A6.4 Self-locking nut with serrated bearing M6				
					

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		




6. Sports hall door SP 500

Article	Item Description	Production period	Art. no.	Quantity	€
	6.16 Track bracket	01.01.2013 –	4633088 •	Unit(s) _____	/each
	Pulley screw	01.01.2013 –	4631094 •	_____	/each
	Hex nut M18 × 1.5		4631159 •	_____	/each
	Pulley	01.01.2013 –	4631035 •	_____	/each
	Locking ring 12 × 1.0 mm		4631173 •	_____	/each
	6.17 Vertical track with holder			Unit(s) _____	
	BRH _____ mm				
	Left	01.01.2013 –	4634125 ⚙️	_____	/m
	Right	01.01.2013 –	4634126 ⚙️	_____	/m
	Hexagon head self-tapping screw B 6.3 × 19 mm		4631138 •	_____	/each
	6.18 End stop with bush	01.01.2013 –	4633092 •	Unit(s) _____	/each
	Flat-head screw with hexagon socket M8 × 40 mm		4631431 •	_____	/each
	Self-locking nut with serrated bearing M8		4631156 •	_____	/each
	6.19 Bracket for end stop	01.01.2013 –	4600465 •	Unit(s) _____	/each
	6.20 Counter weight box	01.01.2013 –	4634124 •	Unit(s) _____	/each

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		




6. Sports hall door SP 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	6.21 Counter weight cover BRH _____ mm Galvanized Color according to price list RAL to choose or CH 703 Special colour Pan head self-tapping screw ST6.3 x 16 mm	01.01.2013 –	4631285	Unit(s)	
				4631149 •		
	*	6.22 Top frame BRB _____ mm White aluminium based on RAL 9006 Color according to price list RAL to choose or CH 703 Special colour	01.01.2013 –	4633311	Unit(s)	
	*	6.23 Welding module for side frame BRB _____ mm White aluminium based on RAL 9006 Color according to price list RAL to choose or CH 703 Special colour	01.01.2013 –	4633312	Unit(s)	
	*	6.24 Top frame with pre-assembled impact surface profile BRB _____ mm White aluminium based on RAL 9006 Color according to price list RAL to choose or CH 703 Special colour	01.07.2014 –	4634132	Unit(s)	

1) 50 % of door price

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		



6. Sports hall door SP 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	6.25 Welding module for side frame with pre-assembled impact surface profile BRH _____ mm			Unit(s)	
		Left	01.07.2014 –	4634133		
		White aluminium based on RAL 9006			_____	/m
		Color according to price list			_____	/m
		RAL to choose or CH 703			_____	/m
		Right	01.07.2014 –	4634134		
	*	6.26 Impact surface profile Length _____ mm			Unit(s)	
		White aluminium based on RAL 9006	01.07.2014 –	46341....		
		Color according to price list			_____	/m
		RAL to choose or CH 703			_____	/m
					_____	/m
					_____	/m
		6.27 Shock absorber	01.07.2014 –	4634127 •	Unit(s) _____	/each
		6.28 Bolt for shock absorber	01.07.2014 –	4634128 •	Unit(s) _____	/each
		6.29 Blind rivet nut M8	01.07.2014 –	4634129 •	Unit(s) _____	/each
		6.30 Frame shoe bracket	01.01.2013 –	1562012 •	Unit(s) _____	/each
		Hexagon head self-tapping screw B 6.3 × 19 mm		4631138 •	_____	/each

1) 50 % of door price

ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		



6. Sports hall door SP 500

Article	Item Description	Production period	Art. no.	Quantity	€
	6.31 Track edge guard	01.01.2013 –	4634131 •	Unit(s) _____	/ each
	6.32 Accessory pack	01.01.2013 –	4634130 •	Unit(s) _____	/ each

1) 50 % of door price




ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

7. Fixing material and general accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	7.1	Roller screw	01.01.2008 –	4631038 •	Unit(s) _____	/each
	7.2	Pulley screw	01.01.2008 –	4631094 •	Unit(s) _____	/each
	7.3	Track screw with square neck		4631089 •	Unit(s) _____	/each
	7.4	Hexagon screws M8 × 16 mm M8 × 25 mm M12 × 30 mm M12 × 90 mm		4631157 • 4631174 • 4631152 • 4631143 •	Unit(s) _____ _____ _____ _____	/each /each /each /each
	7.5	Round-head screws with square neck M6 × 50 mm M8 × 16 mm M8 × 80 mm		4463171 • 4631176 • 4631172 •	Unit(s) _____ _____ _____	/each /each /each
	7.6	Countersunk head screw with hexagon socket M6 × 12 mm M8 × 20 mm M8 × 220 mm		4631450 • 4631155 • 4631308 •	Unit(s) _____ _____ _____	/each /each /each
	7.7	Countersunk head screw M5 × 25 mm		4631048 •	Unit(s) _____	/each
	7.8	Countersunk screw M5 × 16 mm Torx		4634137 •	Unit(s) _____	/each


ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

7. Fixing material and general accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	7.9	Hexagon head self-tapping screw, self-locking B 6.3 × 16 mm B 6.3 × 19 mm B 8 × 22 mm		4631154 • 4631138 • 4631144 •	Unit(s) _____ _____ _____	/ each / each / each
	7.10	Pan head self-tapping screw ST6.3 × 16 mm ST4.8 × 13 mm		4631149 • 4631459 •	Unit(s) _____ _____	/ each / each
	7.11	Drilling screw with pan head 4.2 × 13 mm 4.2 × 19 mm		4631151 • 4631175 •	Unit(s) _____ _____	/ each / each
	7.12	Flat-head screw with hexagon socket M8 × 40 mm		4631431 •	Unit(s) _____	/ each
	7.13	Hexagon screw with flange M8 × 120 mm		4631339 •	Unit(s) _____	/ each
	7.14	Torx drilling screw 4.2 × 11 mm		4631137 •	Unit(s) _____	/ each
	7.15	Tallow-drop screw M5 × 20 mm		4634121 •	Unit(s) _____	/ each
	7.16	Cylinder screw M4 × 30 mm		4634123 •	Unit(s) _____	/ each
	7.17	Countersunk head screw 3.9 × 25 mm		4631463 •	Unit(s) _____	/ each





ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

7. Fixing material and general accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	7.18	Tapping screw with countersunk head ST 4.8 × 32 mm		4631140 •	Unit(s) _____	/each
	7.19	Pozidrive self-tapping screw 4.8 × 16 mm		4631141 •	Unit(s) _____	/each
	7.20	Self-tapping screw with pan-head C-T 5.5 × 32 z T25		4631464 •	Unit(s) _____	/each
	7.21	Self-locking nut with serrated bearing		4631169 •	Unit(s) _____	/each
	M6			4631156 •	_____	/each
	M8					
	7.22	Hex nut M18 × 1.5		4631159 •	Unit(s) _____	/each
	7.23	Hex nut, self-locking		4631040 •	Unit(s) _____	/each
	M12			4634119 •	_____	/each
	M16					
	7.24	Washer		4631150 •	Unit(s) _____	/each
	A13 (13 × 24 × 2.5 mm)			4631160 •	_____	/each
	A8.4 (8.4 × 24 × 2 mm)			4631158 •	_____	/each
	M8 (9 × 16 × 1.6 mm)			4631326 •	_____	/each
	M8 (9 × 28 × 3 mm)			4631170 •	_____	/each
	A6.4 (6.4 × 18 × 1.6 mm)					
	7.25	Locking ring 12 × 1.0 mm		4631173 •	Unit(s) _____	/each


ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

7. Fixing material and general accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	7.26 Control	01.03.2018 –	4631471 •	Unit(s) _____	/ each
	7.27 Cover 2 – photocells	01.03.2018 –	4631470 •	Unit(s) _____	/ each
	7.28 LED – fitting box Order warning light separately	01.03.2018 –	4631472 •	Unit(s) _____	/ each
	7.29 Track suspension Up to L = 469 mm Up to L = 833 mm Up to L = 1145 mm Up to L = 1499 mm (A) Grouting lug, long (323 mm) (C) C45 anchor L = 469 mm L = 833 mm L = 1145 mm L = 1499 mm	01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 – 01.03.2017 –	3042241 • 3042243 • 3042245 • 3042247 • 3060743 • 3044765 • 3044766 • 3044767 • 3044768 •	Unit(s) _____ _____ _____ _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each / each / each / each




ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

7. Fixing material and general accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	7.30 Suspension			Unit(s)	
	(not possible for doors with inclination or inclined garage ceiling)				
	L = 500 mm	01.03.2019 –	4600890 •	_____	/each
	L = 1000 mm	01.03.2019 –	4600892 •	_____	/each
	L = 1500 mm	01.03.2019 –	4600894 •	_____	/each







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
	Customer name: _____	Delivery address: _____	Order no.: _____	Year of manufacture: _____
	Delivery address: _____	_____	Serial no.: _____	Size: _____
	_____	_____	Stamp and signature	
	Date and place: _____	_____		

8. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	8.1 Empty housing for AT 2, 8K2 1T, AO 1 AT 2			Unit(s)	
	Standard housing bottom part	01.02.2008 –	438266 •	_____	/each
	Standard housing cover with screws	01.07.2007 –	438267 •	_____	/each
	Screw kit 2 × M16		638038 •	_____	/each
	Screw kit 4 × M16		637018 •	_____	/each
	8.2 Standard closing edge safety device			Unit(s)	
	Transmitter SKS (6500 mm)	01.01.2005 –	638248 •	_____	/each
	Transmitter SKS (7500 mm)	01.01.2005 –	638255 •	_____	/each
	Transmitter SKS LE (7500 mm)	01.06.2021 –	637885 •	_____	/each
	Receiver SKS (500 mm)	15.11.2003 –	638194 •	_____	/each
	Receiver SKS LE (500 mm)	01.06.2021 –	635702 •	_____	/each
	Bridge plug for system jack	01.11.2003 –	637074 •	_____	/each
	Standard SKS circuit board	15.04.2006 –	438573 •	_____	/each
	Adapter sleeve	15.12.2003 –	638196 •	_____	/each
	8.3 Standard wicket door contact circuit board, AT2	15.08.2009 –	436432 •	_____	/each


ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

9. SupraMatic H / HT for collective garage sliding door ST 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	9.1	Activating kit 8k2-1T in housing	01.04.2009 –	436527 •	Unit(s) _____	/each
	9.2	Decoder unit 8k2 -1T circuit board	01.04.2009 –	438739 •	Unit(s) _____	/each
	9.3	Activating kit AO 1 with adapter print in housing	01.04.2009 – 01.07.2014	436640 ×	Unit(s) _____	
	9.4	Adapter print for AO 1 Corresponding screw bag (not shown)	01.10.2003 – 01.10.2003 –	638186 × 638226 ×	Unit(s) _____ _____	
	9.5	Activating kit ST 500	01.07.2014 –	639565 •	Unit(s) _____	/each
	9.6	Coiled cable with system plug for ST 500	01.07.2014 –	437346 •	Unit(s) _____	/each


ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

9. SupraMatic H / HT for collective garage sliding door ST 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	9.7	Secondary closing edges with C-profile, 8k2			Unit(s)	
	End units					
	1775 mm		01.09.2013 –	439585 •	_____	/ each
	1825 mm		01.04.2009 –	436630 •	_____	/ each
	1890 mm		01.04.2009 –	436642 •	_____	/ each
	1950 mm		01.04.2009 –	436632 •	_____	/ each
	2015 mm		01.04.2009 –	436644 •	_____	/ each
	2075 mm		01.04.2009 –	436634 •	_____	/ each
	2140 mm		01.04.2009 –	436646 •	_____	/ each
	2200 mm		01.04.2009 –	436636 •	_____	/ each
	2265 mm		01.04.2009 –	436648 •	_____	/ each
	2325 mm		01.04.2009 –	436638 •	_____	/ each
	2375 mm		01.09.2011 –	437730 •	_____	/ each
	2450 mm		01.09.2011 –	437732 •	_____	/ each
	2505 mm		01.09.2011 –	437734 •	_____	/ each
	2575 mm		01.09.2011 –	437736 •	_____	/ each
	2640 mm		01.09.2011 –	437738 •	_____	/ each
	2700 mm		01.09.2011 –	437740 •	_____	/ each
	2765 mm		01.09.2011 –	437742 •	_____	/ each
	2825 mm		01.09.2011 –	437744 •	_____	/ each
	Intermediate units					
	1775 mm		01.07.2014 –	439599 •	_____	/ each
	1825 mm		01.04.2009 –	436631 •	_____	/ each
	1890 mm		01.04.2009 –	436643 •	_____	/ each
	1950 mm		01.04.2009 –	436633 •	_____	/ each
	2015 mm		01.04.2009 –	436645 •	_____	/ each
	2075 mm		01.04.2009 –	436635 •	_____	/ each
	2140 mm		01.04.2009 –	436647 •	_____	/ each
	2200 mm		01.04.2009 –	436637 •	_____	/ each
	2265 mm		01.04.2009 –	436649 •	_____	/ each
	2325 mm		01.04.2009 –	436639 •	_____	/ each
	2375 mm		01.09.2011 –	437731 •	_____	/ each
	2450 mm		01.09.2011 –	437733 •	_____	/ each
	2505 mm		01.09.2011 –	437735 •	_____	/ each
	2575 mm		01.09.2011 –	437737 •	_____	/ each
	2640 mm		01.09.2011 –	437739 •	_____	/ each
	2700 mm		01.09.2011 –	437741 •	_____	/ each
	2765 mm		01.09.2011 –	437743 •	_____	/ each
	2825 mm		01.09.2011 –	437745 •	_____	/ each

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		







9. SupraMatic H / HT for collective garage sliding door ST 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	9.8	Suspension set, boom and screws	01.04.2009 –	438367 •	Unit(s) _____	/each

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
	Customer name: _____		Order no.:	Year of manufacture:
	Delivery address: _____		Serial no.:	Size:






	Date and place: _____			
		Stamp and signature		

10. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	10.1 Fitting bracket for photocells (1 x) EL 301, EL 101, EL 31, RL 30, RL 52	01.12.2007 –	638922 •	Unit(s) _____	/each
	10.2 Top part for photocells EL 31, EL 301 and EL 51 (black, seal pre-assembled)	01.02.2009 –	637633 •	Unit(s) _____	/each
	10.3 Replacement operator SupraMatic H (series 2) Without fixing material and remote control, with lighting	01.09.2005 –	435950 •	Unit(s) _____	/each
	10.4 Replacement operator SupraMatic HT (series 3) Without fixing material and remote control, without lighting	01.07.2014 –	4512314 •	Unit(s) _____	/each
	10.5 Carrier housing with plug cover For SupraMatic (series 2) For SupraMatic (series 3)	01.09.2005 – 30.06.2012 01.07.2012 –	439267 X 436713 •	Unit(s) _____	/each
	10.6 Plug cover SupraMatic (series 2 / series 3)	01.09.2005 –	439286 •	Unit(s) _____	/each
	10.7 Aluminium cover SupraMatic (series 2 / series 3)	01.09.2005 –	438578 •	Unit(s) _____	/each









ORDER	Customer no.:	Order no. / comm.:	*Data label information	
	Customer name:		Order no.:	Year of manufacture:
	Delivery address:		Serial no.:	Size:
	Date and place:		Stamp and signature	

10. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	10.8 Cold light reflector lamp SupraMatic (series 2) 12 volt / 20 watt / 60°, with retaining spring	01.09.2005 – 28.02.2021	439276 ↻	Unit(s) _____	
	10.9 LED reflector lamp SupraMatic (series 2, series 3) 12 V / 3 watts	01.03.2013 –	436992 •	Unit(s) _____	/each
	10.10 Bracket For operator fixing	01.01.1999 –	438197 •	Unit(s) _____	/each
	10.11 Toothed belt for boom FS 60/FS 6 Without toothed belt coupling Short Medium Long	01.09.2005 – 01.09.2005 – 01.09.2005 –	439277 • 439278 • 439279 •	Unit(s) _____ _____ _____	/each /each /each
	10.12 Toothed belt per metre Without toothed belt coupling	01.09.2005 –	438913 •	m _____	/m
	10.13 Toothed belt coupling For booms FS 60 and FS 6	01.04.2004 – 31.12.2020 01.01.2021 –	438698 ↻ 635262 •	Unit(s) _____	/each
	10.14 Slide carriage for FS 60	01.10.2000 –	438534 •	Unit(s) _____	/each







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
	Customer name: _____	Delivery address: _____	Order no.: _____	Year of manufacture: _____
	Delivery address: _____	_____	Serial no.: _____	Size: _____
	_____	_____	Stamp and signature	
	Date and place: _____	_____		

10. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	10.15 Tension unit Booms FS 60, FS 6	01.01.1999 –	438701 •	Unit(s) _____	/ each
	10.16 End stop <i>Open and Close</i>	01.07.2000 –	438535 •	Unit(s) _____	/ each
	10.17 Operator disc holder for toothed belt	01.08.2005 –	437746 •	Unit(s) _____	/ each
	10.18 Lintel joint Bolt A8 x 75 with SL securing clip	01.08.2005 – 01.01.1999 –	438577 • 438509 •	Unit(s) _____ _____	/ each / each
	10.19 Bolt A8 x 19.5 x 16 With SL securing clip	01.01.1999 –	438238 •	Unit(s) _____	/ each
	10.20 Accessory bag	01.09.2005 –	439262 •	Unit(s) _____	/ each
	10.21 Circuit board for extension unit ES 1 (Only in conjunction with series 2)	15.03.2007 – 01.07.2014	436506 •	Unit(s) _____	/ each
	10.22 Extension unit for warning lights ES 2 In semi-housing without warning lights (Only in conjunction with series 2)	01.05.2007 – 01.07.2014	436509 •	Unit(s) _____	/ each







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

10. SupraMatic H / HT for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	10.23 Circuit board for underground garage door control ES 2 (Only in conjunction with series 2)	15.03.2007 – 01.07.2014	436507 •	Unit(s) _____	/ each
	10.24 Extension unit for traffic control EF 1 In semi-housing without warning lights (Only in conjunction with series 2)	01.11.2003 – 01.07.2014	436508 •	Unit(s) _____	/ each
	10.25 Terminating resistor for bus socket 2 x required	01.05.2007 –	437555 •	Unit(s) _____	/ each
	10.26 Y-piece with static current circuit parallel connection, black, 6-pin	01.10.2003 –	637000 •	Unit(s) _____	/ each
	10.27 Screw kits with seals 2 x M16 4 x M16 (not shown) 2 x M20 (not shown)	01.12.2003 – 01.11.2003 – 01.08.2004 –	638038 • 637018 • 638227 •	Unit(s) _____ _____ _____	/ each / each / each
	10.28 Flat connecting cable, 10-wire 400 mm long from EF 1 to ES 2	01.01.2007 –	638374 •	Unit(s) _____	/ each







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

11. Control 360 with SupraMatic HT 3

Article	Item Description	Production period	Art. no.	Quantity	€
	11.1 Control cover with plastic film and keypad print, 360	01.04.2012 –	637752 •	Unit(s) _____	/ each
	11.2 Display circuit board 360	01.04.2012 –	637751 •	Unit(s) _____	/ each
	11.3 Main switch, 4-pin, 360	01.04.2012 –	4548294 •	Unit(s) _____	/ each
	11.4 Main switch Top part	01.04.2012 –	635256 •	Unit(s) _____	/ each
	11.5 Miniature key switch Control housing	01.10.2003 –	638140 •	Unit(s) _____	/ each
	11.6 Spare key For miniature key switch, no. 533	01.10.2003 –	638496 •	Unit(s) _____	/ each
	11.7 Lock cover Miniature lock, control housing	01.10.2003 –	638142 •	Unit(s) _____	/ each
	11.8 Extension set Profile half cylinder	01.10.2003 –	637048 •	Unit(s) _____	/ each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

11. Control 360 with SupraMatic HT 3

Article	Item Description	Production period	Art. no.	Quantity	€
	11.9 Profile half cylinder L = 30.5 + +10 mm	01.10.2003 –	436122 •	Unit(s) _____	/each
	11.10 Circuit board for control 360	01.04.2012 –	637749 •	Unit(s) _____	/each
	11.11 Bridge plug with yellow bridge X53 socket for control 360 Connection HCP (PIN 2 and PIN 3 bridged)	01.04.2012 –	637776 •	Unit(s) _____	/each
	11.12 Mains voltage cable 360 1200 mm Note: Can be used if there is a main switch	01.04.2012 –	635486 •	Unit(s) _____	/each
	11.13 Connecting cable SupraMatic HT-3, control 360 10 m 16 m	01.07.2014 – 01.07.2014 –	639563 • 639564 •	Unit(s) _____ _____	/each /each
	11.14 Connecting socket SupraMatic HT-3	01.07.2014 –	639561 •	Unit(s) _____	/each



ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.1 Chain drive operator ITO 500 FU Control 560			Unit(s)	
	Maintenance release, IP 65, 230 V Quick release, IP 65, 230 V	01.06.2021 – 01.06.2021 –	4514112 • 4514113 •	_____ _____	/ each / each
	12.2 Chain drive operator ITO 400 FU			Unit(s)	
	For B 460 FU-K 60 % ON-time, IP 65, 230 V 60 % ON-time, IP 65, 230 V i30	01.12.2004 – 31.08.2018 01.09.2018 –	636311 ↻ 635548 •	_____ _____	/ each
	For B 460 FU-K 100 % ON-time, IP 65, 230 V 100 % ON-time, IP 65, 230 V i30	01.12.2004 – 31.08.2018 01.09.2018 –	636312 ↻ 635549 •	_____ _____	/ each
	12.3 Chain drive operator ITO			Unit(s)	
	For B 445, B 460 25 % ON-time, IP 65, 230 V 25 % ON-time, IP 65, 230 V i30	01.12.2004 – 01.07.2014 01.09.2018 –	636326 ↻ 635545 •	_____ _____	/ each
	For A 445, A 460 60 % ON-time, IP 65, 400 V 60 % ON-time, IP 65, 400 V i30	01.12.2004 – 01.07.2014 01.09.2018 –	636327 ↻ 635546 •	_____ _____	/ each
	For A 445, A 460 100 % ON-time, IP 65, 400 V 100 % ON-time, IP 65, 400 V i30	01.12.2004 – 01.07.2014 01.09.2018 –	636328 ↻ 635547 •	_____ _____	/ each
	12.4 Controls			Unit(s)	
	560	01.06.2021 –	4514000 •	_____	/ each
	560 with main switch	01.06.2021 –	4514001 •	_____	/ each
	560 with profile half cylinder	01.06.2021 –	4514002 •	_____	/ each
	560 with main switch and profile half cylinder	01.06.2021 –	4514003 •	_____	/ each
	12.5 Battery unit Control 560	01.06.2021 –	4514027 •	Unit(s) _____	/ each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item	Description	Production period	Art. no.	Quantity	€
	12.6	Control completely integrated into the housing with accessory bag			Unit(s)	
	A 445		01.10.2003 – 01.07.2014	636620 •	_____	/each
	B 445		01.10.2003 – 01.07.2014	636680 •	_____	/each
	A 460		01.10.2003 – 01.07.2014	636640 •	_____	/each
	B 460		01.10.2003 – 01.07.2014	636700 •	_____	/each
	B 460 FU-K		01.05.2008 –	636755 •	_____	/each
	12.7	Control completely integrated into the housing with main switch and accessory bag			Unit(s)	
	A 445		01.10.2003 – 01.07.2014	636621 •	_____	/each
	B 445		01.10.2003 – 01.07.2014	636681 •	_____	/each
	A 460		01.10.2003 – 01.07.2014	636641 •	_____	/each
	B 460		01.10.2003 – 01.07.2014	636701 •	_____	/each
	B 460 FU-K		01.05.2008 –	636756 •	_____	/each
	12.8	Control completely integrated into the housing with profile half cylinder and accessory bag			Unit(s)	
	A 445		01.10.2003 – 01.07.2014	636622 •	_____	/each
	B 445		01.10.2003 – 01.07.2014	636682 •	_____	/each
	A 460		01.10.2003 – 01.07.2014	636642 •	_____	/each
	B 460		01.10.2003 – 01.07.2014	636702 •	_____	/each
	B 460 FU-K		01.05.2008 –	636757 •	_____	/each
	12.9	Control completely integrated in housing, with main switch and profile half cylinder, incl. accessory bag			Unit(s)	
	A 445		01.10.2003 – 01.07.2014	636623 •	_____	/each
	B 445		01.10.2003 – 01.07.2014	636683 •	_____	/each
	A 460		01.10.2003 – 01.07.2014	636643 •	_____	/each
	B 460		01.10.2003 – 01.07.2014	636703 •	_____	/each
	B 460 FU-K		01.05.2008 –	636758 •	_____	/each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.10 Display circuit board 560	01.06.2021 –	4514332 •	Unit(s)	/ each
	Corresponding screw bag (not shown)	01.06.2021 –	4514329 •		/ each
	12.11 Display circuit board	01.10.2003 –	638069 •	Unit(s)	/ each
	A/B 445, A/B 460 and B 460 FU-K Corresponding screw bag (not shown)	01.10.2003 –	638226 •		/ each
	12.12 Control unit with power and control print 560	01.06.2021 –	4514321 •	Unit(s)	/ each
	Corresponding screw bag (not shown)	01.06.2021 –	4514329 •		/ each
	12.13 Control unit with basic circuit board and power circuit board			Unit(s)	
	A 445	01.10.2003 – 01.07.2014	638177 •		/ each
	B 445	01.10.2003 – 01.07.2014	638178 •		/ each
	A 460	01.10.2003 – 01.07.2014	638179 •		/ each
	B 460	01.10.2003 – 01.07.2014	638180 •		/ each
	B 460 FU-K	15.07.2006 –	638368 •		/ each
	Corresponding screw bag (not shown)	01.10.2003 –	638226 •		/ each
	12.14 Housing cover with film and display circuit board 560	01.06.2021 –	4514323 •	Unit(s)	/ each
	Corresponding screw bag (not shown)	01.01.2003 –	638225 •		/ each




ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.15 Housing cover with plastic film and keypad print			Unit(s)	
	A 445	01.10.2003 – 01.07.2014	637992 •	_____	/ each
	B 445	01.10.2003 – 01.07.2014	637993 •	_____	/ each
	A 460	01.10.2003 – 01.07.2014	637994 •	_____	/ each
	B 460	01.10.2003 – 01.07.2014	637995 •	_____	/ each
	B 460 FU-K	15.07.2006 –	639064 •	_____	/ each
	Corresponding screw bag (not shown)	01.01.2003 –	638225 •	_____	/ each
	12.16 Activating kit for closing edge safety device (SKS) for non-protruding up-and-over doors			Unit(s)	
	Activating kit for door leaf AT2	01.09.2005 –	436263 •	_____	/ each
	12.17 Circuit board STK in AT2	01.07.2014 –	436432 •	Unit(s) _____	/ each
	12.18 Coiled cable AT 2 with system plug	01.08.2006 –	436224 •	Unit(s) _____	/ each
	12.19 Empty housing for LSE 1, LSE 2, AT 1, AT 2			Unit(s)	
	Standard housing bottom part	01.02.2008 –	438266 •	_____	/ each
	Standard housing cover with screws	01.07.2007 –	438267 •	_____	/ each
	Screw kit 2 × M16	15.10.2003 –	638038 •	_____	/ each
	Screw kit 4 × M16	01.10.2003 –	637018 •	_____	/ each



ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.20 Standard closing edge safety device			Unit(s)	
	Transmitter SKS (6500 mm)	01.01.2005 –	638248 •	_____	/ each
	Receiver SKS (500 mm)	15.11.2003 –	638194 •	_____	/ each
	Standard SKS circuit board	15.04.2006 –	438573 •	_____	/ each
	Bridge plug for system jack	01.11.2003 –	637074 •	_____	/ each
	Adapter sleeve	15.12.2003 –	638196 •	_____	/ each
	12.21 Lintel trap guard EZS for non-protruding up-and-over doors			Unit(s)	
	1-channel, complete	01.05.2008 –	637575 •	_____	/ each
	Transmitter (1000 mm)	01.05.2005 –	637248 ↻	_____	/ each
	Receiver (1000 mm)	01.05.2005 –	638461	_____	/ each
			637249 ↻	_____	/ each
			638462	_____	/ each
	12.22 Secondary closing edge extension set			Unit(s)	
	Finger trap protection for non-protruding up-and-over doors with secondary closing edge 8k2	01.09.2006 –	637029 •	_____	/ each



ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.23 Secondary closing edge 8K2 with C-profile			Unit(s)	
	Mini end unit:				
	1875 mm	01.11.2006 –	436360 •	_____	/each
	2000 mm	01.11.2006 –	436362 •	_____	/each
	2125 mm	01.11.2006 –	436364 •	_____	/each
	2250 mm	01.11.2006 –	436366 •	_____	/each
	2375 mm	01.11.2006 –	436368 •	_____	/each
	2500 mm	01.11.2006 –	436370 •	_____	/each
	2625 mm	01.11.2006 –	436372 •	_____	/each
	2750 mm	01.11.2006 –	437751 •	_____	/each
	2875 mm	01.11.2006 –	437753 •	_____	/each
	Mini intermediate unit:				
	1875 mm	01.11.2006 –	436361 •	_____	/each
	2000 mm	01.11.2006 –	436363 •	_____	/each
	2125 mm	01.11.2006 –	436365 •	_____	/each
	2250 mm	01.11.2006 –	436367 •	_____	/each
	2375 mm	01.11.2006 –	436369 •	_____	/each
	2500 mm	01.11.2006 –	436371 •	_____	/each
	2625 mm	01.11.2006 –	436373 •	_____	/each
	2750 mm	01.11.2006 –	437752 •	_____	/each
	2875 mm	01.11.2006 –	437754 •	_____	/each
	Note: Always order the end unit together with the intermediate unit. The length of the units depends on the door height.				
	12.24 Suspensions with boom holders and screws			Unit(s)	
	469 mm	01.12.2005 –	638354 •	_____	/each
	1509 mm	01.05.2004 –	638211 •	_____	/each
	2497 mm	01.05.2004 –	638212 •	_____	/each







ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

12. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500

Article	Item Description	Production period	Art. no.	Quantity	€
	12.25 Extension kit	01.12.2005 –	637428 •	Unit(s) _____	/ each
	12.26 Side guide			Unit(s)	
	FS 400 – K up to 2500 mm door height FS 400 – M, 2501 – 3000 mm door height	01.05.2004 – 01.05.2004 –	638207 • 638208 •	_____ _____	/ each / each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

13. Chain drive operator ITO 400 FU / 500 FU for collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	13.1 Chain drive operator ITO 500 FU Note: Always indicate the door data for spare part orders. You can find this information on the door data label.	01.06.2021 –	•	Unit(s) _____	
	13.2 Chain drive operator ITO 400 FU-STA 60 % ON-time, IP 65, 230 V for B 460 FU-STA 100 % ON-time, IP 65, 230 V for B 460 FU-STA	01.05.2010 – 01.05.2010 –	636331 • 636332 ↺ 635549 •	Unit(s) _____ _____	/each /each
	13.3 Controls 560 560 with main switch 560 with profile half cylinder 560 with main switch and profile half cylinder	01.06.2021 – 01.06.2021 – 01.06.2021 – 01.06.2021 –	4514000 • 4514001 • 4514002 • 4514003 •	Unit(s) _____ _____ _____ _____	/each /each /each /each
	13.4 Control B 460 FU-STA in housing with accessory bag With main switch With main switch and profile half cylinder	01.02.2009 – 01.02.2009 –	636905 • 636906 •	Unit(s) _____ _____	/each /each
	13.5 Battery unit For control 560	01.06.2021 –	4514027 •	Unit(s) _____	/each
	13.6 Control unit with power and control print 560 Corresponding screw bag (not shown)	01.06.2021 – 01.06.2021 –	4514321 • 4514329 •	Unit(s) _____ _____	/each /each


ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

13. Chain drive operator ITO 400 FU / 500 FU for collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	13.7 Control unit with basic circuit board and power circuit board B 460 FU-STA Screw bag (not shown)	01.02.2009 – 01.01.2003 –	638345 • 638226 •	Unit(s) _____ _____	/ each / each
	13.8 Housing cover with film and display circuit board 560 Corresponding screw bag (not shown)	01.06.2021 – 01.01.2003 –	4514323 • 638225 •	Unit(s) _____ _____	/ each / each
	13.9 Housing cover with plastic film and keypad print B 460 FU-STA Screw bag (not shown)	01.02.2009 – 01.01.2003 –	638349 • 638225 •	Unit(s) _____ _____	/ each / each
	13.10 Boom FS 400 K M S XL, 7000 mm long Special length (indicate length)	01.04.2009 – 01.04.2009 – 01.04.2009 – 01.04.2009 – 01.04.2009 –	638207 • 638208 • 638209 • 638487 • 638210 ⌚	Unit(s) _____ _____ _____ _____	/ each / each / each / each
	13.11 Extension kit ITO 400	01.02.2009 –	637428 •	Unit(s) _____	/ each




ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

13. Chain drive operator ITO 400 FU / 500 FU for collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	13.12 Secondary closing edges with C-profile, 8k2			Unit(s)	
	End units				
	1825 mm	01.04.2009 –	436630 •	_____	/ each
	1890 mm	01.04.2009 –	436642 •	_____	/ each
	1950 mm	01.04.2009 –	436632 •	_____	/ each
	2015 mm	01.04.2009 –	436644 •	_____	/ each
	2075 mm	01.04.2009 –	436634 •	_____	/ each
	2140 mm	01.04.2009 –	436646 •	_____	/ each
	2200 mm	01.04.2009 –	436636 •	_____	/ each
	2265 mm	01.04.2009 –	436648 •	_____	/ each
	2325 mm	01.04.2009 –	436638 •	_____	/ each
	2375 mm	01.09.2011 –	437730 •	_____	/ each
	2450 mm	01.09.2011 –	437732 •	_____	/ each
	2505 mm	01.09.2011 –	437734 •	_____	/ each
	2575 mm	01.09.2011 –	437736 •	_____	/ each
	2640 mm	01.09.2011 –	437738 •	_____	/ each
	2700 mm	01.09.2011 –	437740 •	_____	/ each
	2765 mm	01.09.2011 –	437742 •	_____	/ each
	2825 mm	01.09.2011 –	437744 •	_____	/ each
	Intermediate units				
	1825 mm	01.04.2009 –	436631 •	_____	/ each
	1890 mm	01.04.2009 –	436643 •	_____	/ each
	1950 mm	01.04.2009 –	436633 •	_____	/ each
	2015 mm	01.04.2009 –	436645 •	_____	/ each
	2075 mm	01.04.2009 –	436635 •	_____	/ each
	2140 mm	01.04.2009 –	436647 •	_____	/ each
	2200 mm	01.04.2009 –	436637 •	_____	/ each
	2265 mm	01.04.2009 –	436649 •	_____	/ each
	2325 mm	01.04.2009 –	436639 •	_____	/ each
	2375 mm	01.09.2011 –	437731 •	_____	/ each
	2450 mm	01.09.2011 –	437733 •	_____	/ each
	2505 mm	01.09.2011 –	437735 •	_____	/ each
	2575 mm	01.09.2011 –	437737 •	_____	/ each
	2640 mm	01.09.2011 –	437739 •	_____	/ each
	2700 mm	01.09.2011 –	437741 •	_____	/ each
	2765 mm	01.09.2011 –	437743 •	_____	/ each
	2825 mm	01.09.2011 –	437745 •	_____	/ each








ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

13. Chain drive operator ITO 400 FU / 500 FU for collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	13.13 End units for main closing edges		436226 	m _____	/ each
	13.14 Activating kit ITO 400 ST 500	01.07.2014 –	639566 •	Unit(s) _____	/ each
	13.15 Coiled cable, 12-wire, ST 500 for ITO 400	01.07.2014 –	437345 •	Unit(s) _____	/ each







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.1 Absolute encoder AWG with screws A/B 435, A/B 445, A/B 460 Note: Can also be used before 14.07.2008 B 460 FU Note: Cannot be used before 25.03.2009.	14.07.2008 –	637620 •	Unit(s) _____	/each
		24.03.2009 –	637620 •	_____	/each
	14.2 Gearbox housing cover ITO 400 Corresponding screw bag (not shown)	01.10.2003 –	637998 •	Unit(s) _____	/each
		01.10.2003 –	638223 •	_____	/each
	14.3 Adapter AWG with flexible shaft ITO 500 FU	01.06.2021 –	4514331 •	Unit(s) _____	/each
	14.4 Gearbox housing cover ITO 500 FU	01.06.2021 –	4514320 •	Unit(s) _____	/each
	14.5 Gearbox housing cover ITO 400 Corresponding screw bag (not shown)	01.10.2003 –	637999 •	Unit(s) _____	/each
		01.10.2003 –	638223 •	_____	/each
	14.6 Gearbox housing frame with injected seal ITO 400 Corresponding screw bag (not shown)	01.10.2003 –	638120 •	Unit(s) _____	/each
		01.10.2003 –	638224 •	_____	/each
	14.7 Capacitor 30 µF ITO 400 WS	15.04.2003 –	638191 •	Unit(s) _____	/each








ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	Motor connection cables 4 × 1.0 mm ² for 1-phase and 3-phase current motors as well as 3 × 1.5 mm ² for FU motors		⌘	_____	
	14.8 Operator adapter print A/B 435, A/B 445, A/B 460 Corresponding screw bag (not shown)	01.10.2003 – 01.07.2014 01.10.2003 –	638135 • 638224 •	Unit(s) _____ _____ _____	/ each / each
	14.9 Blind cap ITO	01.10.2003 –	638144 •	Unit(s) _____	/ each
	14.10 Slide carriage ITO	01.04.2004 –	638236 •	Unit(s) _____	/ each
	14.11 Release rod ITO Telescopic rod up to 3000 mm	01.04.2004 –	438919 •	Unit(s) _____	/ each
	14.12 Operator wheel support ITO	01.04.2004 –	638237 •	Unit(s) _____	/ each
	14.13 Tension unit ITO	01.04.2004 –	638238 •	Unit(s) _____	/ each

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		







14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.14 Roller chain Short, 6744 mm Medium, 8725 mm Long, 10732 mm	01.04.2004 – 01.04.2004 – 01.04.2004 –	638240 • 638241 • 638242 •	Unit(s) _____ _____ _____	/each /each /each
	14.15 Chain master link	01.04.2004 –	637433 •	Unit(s) _____	/each
	14.16 Chain per metre	01.04.2004 –	⌚	m _____	/m
	14.17 Lintel joint	01.04.2004 –	638222 •	Unit(s) _____	/each
	14.18 Gearbox holder set	01.04.2004 –	638239 •	Unit(s) _____	/each
	14.19 Boom holder	01.04.2004 –	638244 •	Unit(s) _____	/each
	14.20 End stop	01.01.1999 –	438111 •	Unit(s) _____	/each

ORDER	Customer no.: _____ Order no. / comm.: _____	*Data label information	
	Customer name: _____	Order no.: _____	Year of manufacture: _____
	Delivery address: _____	Serial no.: _____	Size: _____




	Date and place: _____		
		Stamp and signature _____	

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.21 Accessory bag	01.04.2004 –	638215 •	Unit(s) _____	/ each
	14.22 Screw bag Accessory bag (item 14.21)	01.04.2004 –	638220 ↻	Unit(s) _____	
	14.23 Screw bag Suspension	01.04.2004 –	638261 •	Unit(s) _____	/ each
	14.24 Screw bag Fitting bracket	01.04.2004 –	638116 •	Unit(s) _____	/ each
	14.25 Mains voltage cable 230 V, length: 1000 mm Control 560	01.06.2021 –	4514249 •	Unit(s) _____	/ each
	14.26 Mains voltage cable Series 400 400 V, length: 2000 mm 400 V, length: 3000 mm 400 V, length: 1000 mm 230 V, length: 1000 mm 1-phase current 3 × 230 V, length: 1000 mm 3-phase current	01.06.2005 – 01.10.2006 – 01.10.2006 – 01.10.2006 – 01.10.2006 –	638355 • 638489 • 638094 • 638095 • 638147 •	Unit(s) _____ _____ _____ _____ _____	/ each / each / each / each / each





ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.27 Motor connection line ITO 500 FU			Unit(s)	
	230 V, length: 2000 mm	01.06.2021 –	4514270 •	_____	/ each
	230 V, length: 3000 mm	01.06.2021 –	4514271 •	_____	/ each
	230 V, length: 4000 mm	01.06.2021 –	4514272 •	_____	/ each
	230 V, length: 5000 mm	01.06.2021 –	4514273 •	_____	/ each
	230 V, length: 6000 mm	01.06.2021 –	4514274 •	_____	/ each
	230 V, length: 7000 mm	01.06.2021 –	4514275 •	_____	/ each
	230 V, length: 8000 mm	01.06.2021 –	4514276 •	_____	/ each
	230 V, length: 9000 mm	01.06.2021 –	4514277 •	_____	/ each
	230 V, length: 10000 mm	01.06.2021 –	4514278 •	_____	/ each
	230 V, length: 11000 mm	01.06.2021 –	4514279 •	_____	/ each
	230 V, length: 12000 mm	01.06.2021 –	4514280 •	_____	/ each
	230 V, length: 14000 mm	01.06.2021 –	4514281 •	_____	/ each
	230 V, length: 16000 mm	01.06.2021 –	4514282 •	_____	/ each
	230 V, length: 18000 mm	01.06.2021 –	4514283 •	_____	/ each
	230 V, length: 20000 mm	01.06.2021 –	4514284 •	_____	/ each
	Further lengths on request				
	14.28 Network cable ITO 500 FU			Unit(s)	
	230 V, length: 2000 mm	01.06.2021 –	4514290 •	_____	/ each
	230 V, length: 3000 mm	01.06.2021 –	4514291 •	_____	/ each
	230 V, length: 4000 mm	01.06.2021 –	4514292 •	_____	/ each
	230 V, length: 5000 mm	01.06.2021 –	4514293 •	_____	/ each
	230 V, length: 6000 mm	01.06.2021 –	4514294 •	_____	/ each
	230 V, length: 7000 mm	01.06.2021 –	4514295 •	_____	/ each
	230 V, length: 8000 mm	01.06.2021 –	4514296 •	_____	/ each
	230 V, length: 9000 mm	01.06.2021 –	4514297 •	_____	/ each
	230 V, length: 10000 mm	01.06.2021 –	4514298 •	_____	/ each
	230 V, length: 11000 mm	01.06.2021 –	4514299 •	_____	/ each
	230 V, length: 12000 mm	01.06.2021 –	4514300 •	_____	/ each
	230 V, length: 14000 mm	01.06.2021 –	4514301 •	_____	/ each
	230 V, length: 16000 mm	01.06.2021 –	4514302 •	_____	/ each
	230 V, length: 18000 mm	01.06.2021 –	4514303 •	_____	/ each
	230 V, length: 20000 mm	01.06.2021 –	4514304 •	_____	/ each
	Further lengths on request				
	14.29 Wiring tool for CAT adapter box	01.06.2021 –	4514028 •	Unit(s) _____	/ each








ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.30 CAT adapter box Control 560	01.06.2021 –	4514011 •	Unit(s) _____	/ each
	14.31 Microfuse 6.3 A H / 250 V / T / H 445 / 460 / 460 FU 3.15 A / 250 V / T / H 445 / 460 / 460 FU 10 A / T / H / 250 V / T / H, 560	01.04.2004 – 01.04.2004 – 01.06.2021 –	638122 × 638123 ↺ 638986 • 638988 •	Unit(s) _____ _____ _____	/ each / each
	14.32 Protection cover Control 560	01.06.2021 –	4514330 •	Unit(s) _____	/ each
	14.33 Flange cover, top Flange cover with screws, bottom Without mains lead (not shown)	01.10.2003 – 01.04.2004 –	638112 • 638124 •	Unit(s) _____ _____	/ each / each
	14.34 Bottom part Control housing, large Series 400 Series 500	01.10.2003 – 01.06.2021 –	638125 • 4514334 •	Unit(s) _____ _____	/ each / each
	14.35 Front film 560	01.06.2021 –	4514325 •	Unit(s) _____	/ each








ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.36 Front film for centre	01.12.2006 –	638492 •	Unit(s) _____	/each
	14.37 Extension housing, large	01.04.2004 –	637199 •	Unit(s) _____	/each
	14.38 Accessory bag Control 560	01.06.2021 –	4514030 •	Unit(s) _____	/each
	14.39 Accessory bag Control housing series 400	01.10.2003 –	638036 •	Unit(s) _____	/each
	14.40 Accessory bag Extension housing	01.10.2003 –	638079 •	Unit(s) _____	/each
	14.41 Accessory bag Extension housing/circuit board fastening	01.10.2003 –	638035 •	Unit(s) _____	/each
	14.42 Screw bag Control cover series 400 or extension housing	01.10.2003 –	638225 •	Unit(s) _____	/each








ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.43 Screw bag Quick-release fastener Controls 560	01.06.2021 –	635441 •	Unit(s) _____	/ each
	14.44 Cable gland kit 2 x M16 screws and various seals	01.10.2003 –	638038 •	Unit(s) _____	/ each
	14.45 Cable gland kit 4 x M16 screws and various seals	01.10.2003 –	637018 •	Unit(s) _____	/ each
	14.46 Cable gland kit 2 x M20 screws and various seals	01.10.2003 –	638227 •	Unit(s) _____	/ each
	14.47 Miniature switch, 3-pin Controls 560	01.06.2021 –	4514327 •	Unit(s) _____	/ each
	14.48 Miniature key switch Control housing, series 400	01.10.2003 –	638140 •	Unit(s) _____	/ each
	14.49 Spare key Miniature key switch, no. 533	01.10.2003 –	638496 •	Unit(s) _____	/ each
	14.50 Lock cover Miniature lock, control housing	01.10.2003 –	638142 •	Unit(s) _____	/ each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.51 Main switch control 560 Corresponding screw bag (not shown)	01.06.2021 –	4514063 •	Unit(s) _____	/each
		01.06.2021 –	4514329 •	_____	/each
	14.52 Main switch, B 445, B 460, B 460 FU-K, B 460 FU-STA 1-phase current	01.10.2003 –	638170 •	Unit(s) _____	/each
	14.53 Main switch, A 445, A 460 3-phase current	01.10.2003 –	638172 •	Unit(s) _____	/each
	14.54 Main switch top part	15.12.2009 –	635256 •	Unit(s) _____	/each
	14.55 Switch insert For profile half cylinders, controls 560	01.06.2021 –	4514328 •	Unit(s) _____	/each
	14.56 Extension set Profile half cylinder Series 400 2 change-over contacts, max. 230 V / 5 A	01.10.2003 –	637048 •	Unit(s) _____	/each
	14.57 Profile half cylinder L = 30.5 + +10 mm	01.10.2003 –	436122 •	Unit(s) _____	/each






ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.58 System cable, 6-wire For connection of the frame-mounted junction box and control or for general use Length: 2000 mm 3000 mm 4000 mm 5000 mm 6000 mm 7000 mm 8000 mm 9000 mm 10000 mm Note: Further lengths on request	01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 – 01.10.2003 –	637935 • 637936 • 637937 • 637938 • 637939 • 637940 • 637942 • 637943 • 637944 •	Unit(s)	
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
				_____	/ each
	14.59 Lintel trap guard EZS / transmitter 1000 mm Casting compound: black, IP 54	01.03.2005 –	637248 ↻ 638461 •	Unit(s)	
				_____	/ each
	14.60 Lintel trap guard EZS / receiver 1000 mm Casting compound: black, IP 54	01.03.2005 –	637249 ↻ 638462 •	Unit(s)	
				_____	/ each
	14.61 Y-piece with static current circuit parallel connection Black, 6-pin	01.10.2003 –	637000 •	Unit(s)	
				_____	/ each
	14.62 Y-piece with static current circuit series connection Red, 6-pin	01.10.2003 –	637001 •	Unit(s)	
				_____	/ each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.63 Coupling 1:1 System cable, black, 6-pin	01.10.2003 –	638190 •	Unit(s) _____	/each
	14.64 Bridge plug (system jack) Static current circuits, cable colour blue	01.10.2003 –	637074 •	Unit(s) _____	/each
	14.65 System plug Flat flexible cable, 100 units per bag 4-pin (6-pin with 4 contacts) 6-pin (6-pin with 6 contacts)	01.10.2003 – 01.10.2003 –	638104 • 638098 •	Unit(s) _____ _____	/each /each
	14.66 Terminating resistor 120 Ohm CAN bus, 560	01.06.2021 –	4514054 •	Unit(s) _____	/each
	14.67 Crimping pliers for system plugs	15.07.2009 –	637677 •	Unit(s) _____	/each
	14.68 6-wire system cable, 100 m	01.10.2003 –	637951 •	Unit(s) _____	/each
	14.69 6-wire system cable, 50 m Only for wet areas (PUR)	01.04.2003 –	637950 •	Unit(s) _____	/each





ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.70 Terminal strip (Control) series 400			Unit(s)	
	2-pin with bridge, X1	01.10.2003 –	638148 •	_____	/ each
	4-pin, X2	01.10.2003 –	638149 •	_____	/ each
	5-pin for frame junction box and SKS circuit board (coiled cable)	01.10.2003 –	638375 •	_____	/ each
	6-pin with bridge, X3	01.10.2003 –	638150 •	_____	/ each
	14.71 Terminal strip (Control / motor) series 400			Unit(s)	
	X 90 (230 V)	01.10.2003 –	638155 •	_____	/ each
	X 90 (400 V)	01.10.2003 –	638156 •	_____	/ each
	X 91 3-pin	01.10.2003 –	638157 •	_____	/ each
	X 91 2-pin	01.10.2003 –	638158 •	_____	/ each
	X 91 motor connection (screw-on)	01.10.2003 –	638159 •	_____	/ each
	X 91 motor connection (WA 400 FU)	01.10.2003 –	638160 •	_____	/ each
	14.72 Circuit board 8K2-1T Decoder unit	01.07.2005 –	438739 •	Unit(s) _____	/ each
	14.73 Expansion circuit board LS/SKS/RSK For system plug	01.03.2005 –	638174 •	Unit(s) _____	/ each
	14.74 Adapter print for EL 61, light grille or safety equipment of other makes	01.10.2005 –	637104 •	Unit(s) _____	/ each



ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
			Stamp and signature _____	

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.75 Expansion circuit board for system jack X10	01.03.2005 –	638295 ×	Unit(s)	
	14.76 Flat connecting cable 10-wire, length: 400 mm	01.03.2003 –	638374 •	Unit(s) _____	/each
	14.77 Connecting cable 3-wire, length: 500 mm	01.04.2004 –	637562 •	Unit(s) _____	/each
	14.78 Y-connecting cable 3-wire, with branch, length: 650 mm For connecting travel limit circuit boards	01.04.2004 –	638113 •	Unit(s) _____	/each
	14.79 Diagnosis device D1 for closing edge safety device	01.10.2006 –	637500 •	Unit(s) _____	/each
	14.80 Cable tester KPT1 With cable termination print	01.06.2004 –	637087 •	Unit(s) _____	/each




ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

14. Chain drive operator ITO 400 / ITO 500 FU for non-protruding up-and-over door for collective garages ET 500 and collective garage sliding door ST 500

Article	Item Description	Production period	Art. no.	Quantity	€
	14.81 Tester T1 For SKS and photocells	01.11.2004 –	637211 •	Unit(s) _____	/ each
	14.82 Dynamometer To measure the closing force – in a case – with CD Data transmission cable	01.06.2006 –	637513 •	Unit(s) _____	/ each





ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	15.1 Top frame			Unit(s)	
		For doors with SupraMatic operator				
		ET 500 L	01.01.2008 –	4631131		_____
		ET 500 S	01.01.2008 –	4631133		_____
		BRB _____ mm				
		For doors with ITO operator				
		ET 500 L	01.01.2008 –	4631132		_____
		ET 500 S	01.01.2008 –	4631134		_____
		BRB _____ mm				
		Galvanized				_____
Color according to price list				_____		
RAL to choose or CH 703				_____		
	*	15.2 Side frame			Unit(s)	
		Welding module	01.01.2008 –	4631136		
		BRH _____ mm				
		Galvanized				_____
		Color according to price list				_____
RAL to choose or CH 703				_____		
	*	15.3 Top frame			Unit(s)	
		ET 500 L	01.07.2014 – 28.02.2019	4631131		_____
		ET 500 S	01.07.2014 – 28.02.2019	4631133		_____
		BRB _____ mm				
		From serial number 19060				
		120 × 60 mm	01.03.2019 –	4641131		_____
		160 × 60 mm	01.03.2019 –	4641132		_____
		BRB _____ mm				
		For doors with on-site infill				
		ET 500 L	01.07.2014 – 28.02.2019	4631132		_____
		ET 500 S	01.07.2014 – 28.02.2019	4631134		_____
		BRB _____ mm				
		Galvanized				_____
		Color according to price list				_____
		RAL to choose or CH 703				_____
		Special colour				_____





ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	★	15.4 Side frame with plastic frame shoe			Unit(s)	
		Welding module 160 × 60				
		Left	01.03.2019 –	4641133		_____
		Right	01.03.2019 –	4641134		_____
		Welding module 260 × 60				
		Left	01.03.2019 –	4641135		_____
		Right	01.03.2019 –	4641136		_____
		BRH _____ mm				
		Indicate serial number.				
		Galvanized				_____ / m
		Color according to price list				_____ / m
		RAL to choose or CH 703				_____ / m
		Special colour				_____ / m
		15.5 Overhead door closer, complete			Unit(s)	
		For side door and wicket door	01.10.2014 –	4630248	•	_____ / each
		15.6 Hold-open device for overhead door closer			Unit(s)	
			01.10.2014 –	4630251	•	_____ / each
	★	15.7 Perforated steel sheet, style 412			Unit(s)	
		Height (H) _____				
		x width (B) _____ mm				
		Galvanized				_____ / m ²
		Color				_____ / m ²
		RAL to choose or CH 703				_____ / m ²
		Special colour				_____ / m ²
		Indicate the colour in accordance with the price list				
		Torx drilling screw 4.2 × 11 mm				
				4631137	•	_____ / each






ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	15.8 Perforated steel sheet, style 413 Height (H) _____ x width (B) _____ mm Galvanized Color RAL to choose or CH 703 Special colour Indicate the colour in accordance with the price list Torx drilling screw 4.2 x 11 mm	01.01.2008 –	4631042	Unit(s)	
				4631137 •	_____ _____ _____ _____	/m ² /m ² /m ² /m ² /each
	*	15.9 Aluminium sheet, style 420, 422 Height (H) _____ x width (B) _____ mm Galvanized Color RAL to choose or CH 703 Special colour Indicate the colour in accordance with the price list Torx drilling screw 4.2 x 11 mm	01.01.2008 –	4631020	Unit(s)	
				4631137 •	_____ _____ _____ _____	/m ² /m ² /m ² /m ² /each
		15.10 Ventilation grille in black plastic _____	01.01.2008 –	4631060 •	Unit(s)	/each
	*	15.11 Aluminium frame type N, anodised, with DURATEC synthetic double pane, clear, 26 mm Height 500 mm, length _____ mm Height 625 mm, length _____ mm	01.01.2008 –	4631062	Unit(s)	/m ²
			01.01.2008 –	4631362	_____	/m ²







ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature _____		

15. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	15.12 Aluminium frame type N, anodised with stainless steel expanded mesh			Unit(s)	
		Height 500 mm, length _____ mm Height 625 mm, length _____ mm	01.01.2008 – 01.01.2008 –	4631063  4631363 	_____ _____	/m ² /m ²
	*	15.13 Aluminium frame type N, anodised with stainless steel perforated steel sheet			Unit(s)	
		Height 500 mm, length _____ mm Height 625 mm, length _____ mm	01.01.2008 – 01.01.2008 –	4631064  4631364 	_____ _____	/m ² /m ²
	*	15.14 Door leaf With lock strut (without fitting) BRB _____ × BRH _____ mm Indicate the colour in accordance with the price list	01.01.2013 –	4634010 	Unit(s) _____	/each
	*	15.15 Door leaf With lock strut and base construction for an elastic impact surface (without fitting) BRB _____ × BRH _____ mm Indicate the colour in accordance with the price list	01.07.2014 –	4634..... 	Unit(s) _____	/each
	*	15.16 Lock strut BRH _____ mm Indicate the colour in accordance with the price list Torx drilling screw 4.2 × 11 mm	01.01.2013 –	4634116  4631137 •	Unit(s) _____ _____	/each /each







ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	15.17 Booms for SupraMatic H			Unit(s)	
	FS 60 – K	01.04.2007 –	435410 •	_____	/each
	FS 60 – M	01.04.2007 –	435411 •	_____	/each
	FS 60 – L	01.04.2007 –	435412 •	_____	/each
	FS 60 (special length)	01.04.2007 –	435413 ⌚	_____	
	15.18 Activating kit for closing edge safety device (SKS) for non-protruding up-and-over doors Activating kit for door leaf, AT 2	01.09.2005 –	436263 •	Unit(s) _____	/each
	15.19 Coiled cable AT 2 with system plug	01.08.2006 –	436224 •	Unit(s) _____	/each
	15.20 Closing edge safety device S4 standard, complete Note: Article number 436263 and article number 436256 must always be ordered together	01.01.2003 –	436256 •	Unit(s) _____	/each
	15.21 Boom FS 60			Unit(s)	
	S	01.04.2009 –	435412 •	_____	/each
	5500 mm	01.04.2009 –	436467 •	_____	/each
	7000 mm	01.04.2009 –	436468 •	_____	/each
	Special length	01.04.2007 –	435413 ⌚	_____	
	15.22 One-way photocell EL 301	01.04.2009 –	436313 •	Unit(s) _____	/each







ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	15.23 Straight link bracket			Unit(s)	
	258 mm 493 mm	01.01.1999 – 01.02.2002 –	438384 • 438742 •	_____ _____	/ each / each
	15.24 Link bracket, curved	01.01.1999 –	438302 •	Unit(s) _____	/ each
	15.25 Boom suspension kit Set	01.04.2005 –	438740 •	Unit(s) _____	/ each
	15.26 Half / extension housing, small for ES 1 / ES 2 / EF 2 with fixing material	01.12.2006 –	637014 •	Unit(s) _____	/ each
	15.27 System cable, 6-wire			Unit(s)	
	10,000 mm long, 1 × required 100 mm long, 2 × required	01.05.2003 – 01.09.2003 –	637944 • 637930 •	_____ _____	/ each / each
	15.28 Wicket door contact STK 2	01.09.2005 –	436258 •	Unit(s) _____	/ each







ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.: _____	Year of manufacture: _____
	Customer name: _____		Serial no.: _____	Size: _____
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	15.29 Control 360, industrial housing with accessory bag without flange cover			Unit(s)	
	Standard (figure)	01.04.2012 –	636765 •	_____	/each
	With main switch	01.04.2012 –	636766 •	_____	/each
	With profile half cylinder	01.04.2012 –	636767 •	_____	/each
	With main switch and profile half cylinder	01.04.2012 –	636768 •	_____	/each
	15.30 Closing edge safety device S4 standard, complete Note: Article number 436263 and article number 436256 must always be ordered together.	01.01.2003 –	436256 •	Unit(s) _____	/each
	15.31 Wicket door contact STK 2	01.08.2008 –	436258 •	Unit(s) _____	/each
	15.32 One-way photocell EL 51	01.01.2004 –	637023 •	Unit(s) _____	/each
	15.33 One-way photocell EL 401	01.07.2014 –	437922 •	Unit(s) _____	/each
	15.34 Wicket door contact STK 2	01.08.2008 –	436258 •	Unit(s) _____	/each






ORDER	Customer no.: _____ Order no./comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	15.35 Housing heater for fitting in industrial door control for up to -35 °C Note: Not for A/B 435	01.06.2005 –	637422 •	Unit(s) _____	/ each
	15.36 Heating mat WA 400, up to -35 °C 230 V / 70 W	01.06.2005 –	637446 •	Unit(s) _____	/ each
	15.37 Large extension housing with hat rails With accessory bag Article number: 638036 and 638079	01.02.2005 –	637242 •	Unit(s) _____	/ each
	15.38 Extension housing, small with fixing material	01.10.2003 –	637014 •	Unit(s) _____	/ each
	15.39 Extension set enclosure for industrial control in wet areas for IP66 For control 445 / 460 / 460 FU-K with DT 04	01.01.2005 –	637035 •	Unit(s) _____	/ each
	15.40 Travel limit circuit board With connection and fitting accessories with fuse (not shown) Note: For controls A/B 445, A/B 460 and B 460 FU only in conjunction with a multi-function circuit board, traffic control circuit board or central circuit board. These can be functionally extended by the travel limit circuit board	01.10.2003 – 01.01.2004 –	637028 • 637052 •	Unit(s) _____ _____	/ each / each

ORDER	Customer no.: _____ Order no. / comm.: _____		*Data label information	
			Order no.:	Year of manufacture:
	Customer name: _____		Serial no.:	Size:
	Delivery address: _____			
	Date and place: _____			
		Stamp and signature		

15. Accessories

Article	Item Description	Production period	Art. no.	Quantity	€
	15.41 Multi-function circuit board With connection and fitting accessories for controls A/B 445, A/B 460, B 460 FU	01.10.2003 –	637026 •	Unit(s) _____	/each
	15.42 Circuit board for traffic control EF 1 With 10-wire flat cable, connecting cable (400 mm) to main print ES 2 Note: Main print ES 2 required (Only in conjunction with series 2)	01.11.2003 – 01.07.2014	637053 •	Unit(s) _____	/each
	15.43 Central circuit board	01.11.2004 –	637243 •	Unit(s) _____	/each
	15.44 Induction loop detector DI 1 Induction loop detector DI 1-Pro	01.07.2007 –	637545 •	Unit(s) _____	/each
	15.45 Induction loop detector DI 2 Induction loop detector DI 2-Pro	01.07.2007 –	637546 •	Unit(s) _____	/each

ORDER	Customer no.: _____	Order no. / comm.: _____	*Data label information	
	Customer name: _____	Delivery address: _____	Order no.: _____	Year of manufacture: _____
	Delivery address: _____	_____	Serial no.: _____	Size: _____
	_____	_____	Stamp and signature	
	Date and place: _____	_____		

Note

--

Order: Spare Parts						to Hörmann KG:																							
Customer no.: _____ Customer: _____																													
Invoice via: _____																													
Delivery address:* _____																													
☎ _____ Fax: _____																													
Order no./date/com.: _____ Requested date: _____ WK _____																													
Quotation no./dd.: _____ Delivery key: _____ Sales Office: _____ Sheet: ____ / ____																													
Paym. conditions: _____ Administrator: [] Date: []																													
Pos.	C. no.	Type	No.	Art. No.	Article designation	Quantity	ME*	Unit price in €																					
	-	-	-	11860	☐ Fitting according to hourly rate.																								
* ME = Unit	1 = pc 2 = m		3 = kg 4 = hour		Total in €																								
Please take information from the data label!																													
Order number					Product number																								
Place, date															Stamp and signature														

General Terms and Conditions of Sale and Delivery (issued 1.3.2020)

§ 1 General

1. Our General Terms and Conditions of Sale and Delivery apply to all deliveries and services in accordance with the contract concluded between us and the Customer.
2. Our General Terms and Conditions of Sale and Delivery are exclusively applicable; Customers' conditions which conflict with or deviate from our conditions are not recognised unless we have agreed to them expressly in writing.
3. Our General Terms and Conditions of Sale and Delivery apply only to transactions with business entities as per Section 14 of the German Civil Code (BGB).

§ 2 Entry into contract

1. Our offers are without engagement and non-binding, unless otherwise agreed. Our order confirmation is decisive for nature and scope. We reserve the right to make technical changes as well as changes to form, colour and / or weight insofar as is reasonable.
2. The offer shall be regarded as accepted only when an order confirmation is issued or the goods are dispatched. The issue of a confirmation of receipt or the receipt of a telephone order do not constitute a binding acceptance. In the case of goods that have to be made to order, following our written confirmation the contract shall be regarded as having been concluded even if details of its execution which may affect price and delivery remain to be clarified. The right to make design and form changes during the delivery period is reserved, provided that the subject of delivery and its function and appearance are not fundamentally altered thereby. There will be no resulting change in price.
3. In respect of figures, drawings, calculations and similar documents, we reserve ownership and copyright. This likewise applies to such documents designated as "confidential". These documents may not be made available to third parties without our express prior approval.

§ 3 Prices and terms of payment

1. Unless otherwise specified in the order confirmation, our prices apply "ex works", excluding transport and fitting, which shall be invoiced separately. Costs for packaging, with the exception of small and spare parts, are included. The value added tax as required by law is not included in our prices; this tax will be shown separately on the invoice at the legal rate applicable on the date of invoicing.
2. Our invoices shall be due to be paid net (without deduction) within 30 days. The deduction of discounts requires a special agreement in writing.
3. Should the price of materials or taxes and levies be increased after the contract has been concluded, we shall be entitled to adjust our prices accordingly if there are at least 4 months between entry into contract and intended delivery.
4. Should the Customer commission not only delivery but also fitting or similar services, these shall be invoiced by the hour unless a fixed rate has been agreed expressly. Our valid Terms and Conditions of Installation shall apply to all assembly services.
5. We are entitled, even in the case of conflicting Customer conditions, to set off payments against the Customer's previous debts. If costs and interest have already incurred, we are entitled to set off the payment against the costs, then to the interest and finally to the main service.
6. We are also entitled to make our remaining claims immediately payable and render the execution of all further services subject to an advance payment or provision of security, if we become aware of circumstances that call the solvency and the credit standing of the Customer in question, in particular in the event of default in payment. The right to claim further damages will remain unaffected.
7. During the delay, the Customer cannot invoke the right to possession. Any claim for return on our side during a delay on the Customer's side shall only be considered as withdrawal from the contract if we have specified this expressly in writing.
8. The Customer shall only have the right to offsetting if the Customer's counterclaims have been determined without further legal recourse, beyond dispute or if the counterclaims have been recognised by us. The Customer can only exert a right of retention if and when the counterclaim rests on the same contractual relationship.

§ 4 Place of fulfillment, transfer of risk

1. Unless otherwise specified in the order confirmation, a delivery "ex works" (INCOTERMS 2010) has been agreed. The danger of accidental loss or deterioration of the goods purchased passes to the Customer upon hand-over of the goods to the shipping agent, the freight forwarder or the person or establishment otherwise appointed to execute the shipment. This shall likewise apply in case of partial delivery or if we have taken over other services (e.g. shipping or fitting).
2. Should the Customer be in default of acceptance, the danger of accidental loss or deterioration of the goods purchased shall pass to the Customer. Any storage costs incurred shall comply with Section 5 No. 3.
3. If carriage paid delivery of the goods has been agreed, the means of transport must be unloaded immediately by the Customer. Waiting times will always be at the Customer's expense. Direct delivery to site shall always be regarded as on truck on an even, drivable road. Unloading including transportation to the place of use or storage is the responsibility of the Customer who in the event of delay must bear the costs and danger of unloading, stacking, storage or return transport. The recipient acting on behalf of the Customer at the place of unloading shall be regarded as authorised to accept the load with binding effect.

§ 5 Delivery times

1. The period of delivery specified by us shall only begin after clarification of all technical questions.
2. Information on delivery dates shall be considered the expected periods of delivery and are always subject to correct and timely delivery by suppliers and / or other manufacturers to us. The Customer may only set a time limit for the supply / performance if the expected delivery date has been exceeded by more than three weeks. This time limit must be reasonable and must amount to a minimum of three weeks. Claims for damages due to non-compliance with an expected delivery date are excluded. Delays in supply and performance as a result of force majeure or as a result of events which materially impede or prevent us from making delivery – including in particular subsequent material procurement difficulties for which we are not responsible, interruption of operations, strikes, lockouts, official directives, etc., even if these affect our suppliers or sub-suppliers – will be notified to the Customer immediately. Events of this type entitle us to withdraw from the contract either in whole or in part if the order is not yet completed. In the event of withdrawal, any compensating measures already performed for the Customer shall be reimbursed immediately.
3. Should the Customer be in delay of acceptance, we are entitled to store the goods at the Customer's danger and expense. For the corresponding storage costs, we can optionally demand reimbursement of the actually incurred costs or of a fixed rate of 5 % of the invoice sum for each commenced month. This also applies to storage by us. The Customer has the right to prove less damage in the event of a claim to flat-rate damage reimbursement.
4. Should, after the time limit set by us has expired, the Customer refuse to accept the goods or declare to no longer want to accept the goods without entitlement to do so, we can also demand damage compensation due to non-fulfilment.
5. Partial deliveries are permissible to a reasonable extent.

§ 6 Reservation of title

1. We reserve ownership of the goods until complete payment of all claims from the ongoing business relationship with the Customer. Should the value of the reserved goods exceed the claims to be secured from the ongoing business relationship with the Customer by more than 20 %, we are obligated to release the reserved goods on Customer request. The selection of the securities to be released is at our discretion.
2. While retention of title is in effect, the Customer is obligated to treat the goods purchased with care and sufficiently insure them against fire and water damage and theft at their value when new and at the Customer's expense. Any claims asserted for damages by the Customer against the insurer or other third parties due to deterioration of the reserved goods are right now signed over to us at the amount of the invoice sum. Should maintenance and inspection work be required, the Customer shall perform said work regularly at the Customer's own expense. The Customer must inform us immediately and in writing of all access of third parties to the goods, in particular of all foreclosure and any damage to or destruction of the goods. The Customer must inform us of a change in possession of the goods as well as a change in the Customer's address immediately. The Customer must reimburse us of all damage and costs caused by a violation of this obligation and resulting necessary intervention measures to prevent access of third parties to the goods. In the event of access by third parties, the Customer must also provide us with the necessary help to assume our rights.
3. The Customer is not permitted to pledge reserved goods nor assign them as security.
4. Processing or transformation of goods supplied subject to the reservation of title is always undertaken by the Customer on our behalf. If the reserved goods are treated, processed or mixed, the reserved title to the processed or mixed goods shall continue. If the reserved goods are processed or combined inextricably with items which are not our property, we shall acquire ownership of the new object in the ratio of the invoice value of the reserved goods to the invoice value of the other goods used at the time of processing or combination. The resulting co-ownership rights shall be deemed to be reserved goods in accordance with these Terms and Conditions. If our goods are joined or combined inextricably with other movable items into a single object and this other object is to be considered the main object, the Customer shall concede proportionate joint ownership to us should the main object belong to the Customer. In the aforementioned cases, the Customer here and now assigns all ownership rights to the processed, joined, or combined goods to us. Instead of a transfer, the Customer shall hold the processed, joined, or combined object in safe custody on our behalf. For the object resulting from processing, use, or combination, the same applies in all other respects as for reserved goods.
5. The Customer is entitled to resell goods supplied subject to reservation of title by way of due and proper business transactions. The Customer here and now assigns all claims with all rights arising from the resale of the reserved goods to us in full. We accept this assignment. Should the Customer sell the reserved goods – after processing / combination – together with goods not belonging to the Customer, the Customer here and now assigns to us the claims resulting from resale in the amount of the value of the reserved goods along with all ancillary rights. We accept this assignment right now. The Customer is entitled to collect this claim even after assignment. However, we reserve the right to collect the claim ourselves as soon as the Customer fails to properly meet payment obligations and enters into default, or reasonable doubt about the Customer's solvency and credit standing exists. At our request, the amount of the assigned claim, the person of the debtor and all other information required for collection must be provided, the corresponding documents must be handed over and the debtor must be notified of the assignment.
6. The right to further processing and resale ends with withdrawal from the contract.
7. During the Customer's standard business hours, we are at all times entitled to enter the offices and operating premises to check the reserved goods and to take possession of the reserved goods insofar as the Customer is unable to invoke rights to possession.

§ 7 Defect claims

1. The Customer shall be entitled to claims for defects only if the Customer's duties to inspect and report pursuant to Section 377 of the German Commercial Code (HGB) have been duly complied with. In the event that complaints are not reported in due time and / or in due form, the goods shall be regarded as accepted.
2. For the delivery of objects, we are free to decide to affect supplementary performance either by repair or replacement. If supplementary performance fails, the Customer can at his choice demand a reduction, withdrawal or compensation. In the event of only minor defects the Customer has no right to withdrawal.
3. As a matter of principle, the nature of the goods purchased shall be defined solely by our order confirmation. Public statements, recommendations or advertisements by us or third parties do not constitute contractual statements as to the nature of the goods.
4. The period of limitation for defect claims is based on § 438 of the German Civil Code (BGB) as long as no deviating time limits have been expressly agreed.
5. The Customer is not entitled to assign claims for material defects.

§ 8 Liability

1. We accept liability within legal provisions, provided the Customer asserts claims for damages that are based on intent or gross negligence. In the event of minor negligence, our liability is limited to predictable, typically occurring damage. We are not liable in the event of minor negligence of non-essential contractual obligations whose violation does not threaten the performance of the contract. This also applies to breach of duty by our legal representatives or vicarious agents.
2. Liability for negligent injury to life or limb or the impairment of a person's health remains unaffected from the above limitations of liability; this also applies to the Customer's claims according to the German Product Liability Act (Produkthaftungsgesetz).

§ 9 Concluding provisions

1. The law of the Federal Republic of Germany shall apply. The UN Convention on the International Sale of Goods shall not be applicable.
2. To take legal effect, subsidiary agreements and amendments must be confirmed in writing. This likewise applies to any modification of the clause stipulating the written form.
3. Unless otherwise specified in the order confirmation, our headquarters are the place of fulfillment. The exclusive place of jurisdiction for all disputes arising from this contract shall be Bielefeld, Germany.
4. Insofar as individual terms of the contract including these General Terms and Conditions should be or become ineffective either in whole or in part, this shall not affect the validity of the remaining provisions. The invalid provision shall be replaced by a clause that comes as close as possible to the intended purpose without being invalid. This also applies to any contractual gap.

Hörmann: Quality without Compromise




Hörmann KG Amshausen, Germany



Hörmann KG Antriebstechnik, Germany



Hörmann KG Brandis, Germany



Hörmann KG Brockhagen, Germany



Hörmann KG Dissen, Germany



Hörmann KG Eckelhausen, Germany



Hörmann KG Freisen, Germany



Hörmann KG Ichtershausen, Germany



Hörmann KG Werne, Germany



Hörmann Alkmaar B.V., Netherlands



Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon LLC, Burgettstown PA, USA



Shakti Hörmann Pvt. Ltd., India

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We manufacture in highly-specialised factories using the latest production technologies. The close-meshed network of sales and service companies throughout Europe, and activities in the USA and Asia, make Hörmann your strong partner for first-class building products, offering “Quality without Compromise”.

GARAGE DOORS
OPERATORS
INDUSTRIAL DOORS
LOADING EQUIPMENT
HINGED DOORS
DOOR FRAMES

HÖRMANN